

# GOLF CARTS MODELS 2025



SALE RENT SERVICE PARTS



HUHAMMED HADI AL JOHNI TRADING EST.

Info@aidecarts.com, +966 58 000 6668



GOLF CART



PASSENGER



FOOD & BEVERAGE



HOUSEKEEPING



DISABILITY



AMBULANCE



POLICE & SECURITY



CARGO



SIGHTING BUS



FIREFIGHTING



CLASSIC



SAFARI TRAINING



2 SEAT



4 SEAT



6 SEAT



8 SEAT



8 SEAT



11 SEAT



14 SEAT



23 SEAT



# 2-SEATERS

Brand



EAGLE



Model	<b>EG202DKSZ</b>	Passenger	<b>2+2</b>
Max. Speed	<b>≤40KM</b>	Dimensions	<b>2920*1325*2033</b>
Max. Climbing Degree	<b>≥20%</b>	Mileage	<b>≥90KM</b>

BRAND  
LVTONG®



Model	<b>LT-A827.2</b>	Passenger	<b>2</b>
Max. Speed	<b>≤40KM</b>	Mileage	<b>≥80km</b>
Max. Climbing	<b>≥20%</b>	Dimensions	<b>2760*1240*1820</b>

BRAND  
ZYCAR



Model	<b>Z2Y(E)</b>	Passenger	<b>2</b>
Max. Speed	<b>≤40KM</b>	Mileage	<b>≥60km</b>
Max. Climbing	<b>≥20%</b>	Dimensions	<b>2700×1205×1985</b>

BRAND  
ZYCAR



Model	<b>E2</b>	Passenger	<b>2</b>
Max. Speed	<b>≤24KM</b>	Mileage	<b>≥80km</b>
Max. Climbing	<b>≥15%</b>	Dimensions	<b>2370*1210*1900</b>

BRAND  
FYCAR



Model	<b>LT-A827.2</b>	Passenger	<b>2</b>
Max. Speed	<b>≤35KM</b>	Mileage	<b>≥100km</b>
Max. Climbing	<b>≥30%</b>	Dimensions	<b>3200*1200*2000</b>

P03

Muhammad Hadi Al-Juhani Trading Est  
Sulai District, Mehmoud Al Halbi Street, Riyadh, KSA  
Info@aidecarts.com, +966 58 000 6668

# GOLF CARTS MODELS



# 2-SEATERS

Brand



Model	<b>Z2C</b>	Passenger	<b>2+2</b>
Max. Speed	<b>≤35KM</b>	Dimensions	<b>2840×1210×1980</b>
Max. Climbing Degree	<b>≥20%</b>	Mileage	<b>≥90KM</b>

BRAND  
**LVTONG**



Model	<b>LT-A2</b>	Passenger	<b>2</b>
Max. Speed	<b>≤30KM</b>	Mileage	<b>≥100km</b>
Max. Climbing	<b>≥30%</b>	Dimensions	<b>2390*1200*1900</b>

BRAND  
**EAGLE**



Model	<b>EG2028KSF</b>	Passenger	<b>2</b>
Max. Speed	<b>≤30KM</b>	Mileage	<b>≥80km</b>
Max. Climbing	<b>≥20%</b>	Dimensions	<b>2670*1180*1890</b>

BRAND  
**EAGLE**



Model	<b>EG202EK</b>	Passenger	<b>2</b>
Max. Speed	<b>≤25KM</b>	Mileage	<b>≥60km</b>
Max. Climbing	<b>≥25%</b>	Dimensions	<b>2383*1142*1890</b>

BRAND  
**ZYCAR**



Model	<b>E2</b>	Passenger	<b>2</b>
Max. Speed	<b>≤24KM</b>	Mileage	<b>≥80km</b>
Max. Climbing	<b>≥20%</b>	Dimensions	<b>2375 x 1206 x 1950</b>



# 2-SEATERS

Brand



Model	<b>M1S2+2</b>	Passenger	<b>2+2</b>
Max. Speed	<b>≤30KM</b>	Dimensions	<b>2700*1200*2000</b>
Max. Climbing Degree	<b>≥25%</b>	Mileage	<b>≥90KM</b>

BRAND



Model	<b>M1S2</b>	Passenger	<b>2</b>
Max. Speed	<b>≤35KM</b>	Mileage	<b>≥100km</b>
Max. Climbing	<b>≥30%</b>	Dimensions	<b>2700*1200*2000</b>

BRAND



EAGLE



Model	<b>EG2028KSF</b>	Passenger	<b>2+2</b>
Max. Speed	<b>≤30KM</b>	Mileage	<b>≥80km</b>
Max. Climbing	<b>≥20%</b>	Dimensions	<b>2670*1180*1890</b>

BRAND



Model	<b>LT-A827.2+2G</b>	Passenger	<b>2+2</b>
Max. Speed	<b>≤30KM</b>	Mileage	<b>≥90km</b>
Max. Climbing	<b>≥20%</b>	Dimensions	<b>2930*1370*2060</b>

BRAND



Model	<b>Z2C</b>	Passenger	<b>2</b>
Max. Speed	<b>≤24KM</b>	Mileage	<b>≥90km</b>
Max. Climbing	<b>≥20%</b>	Dimensions	<b>2860×1210×2065</b>

P05

Muhammad Hadi Al-Juhani Trading Est  
 Sulai District, Mehmoud Al Halbi Street, Riyadh, KSA  
 Info@aidecarts.com, +966 58 000 6668

# GOLF CARTS MODELS



# 4-SEATERS

Brand



EAGLE



Model	<b>EG204AK</b>	Passenger	<b>4</b>
Max. Speed	<b>≤32KM</b>	Dimensions	<b>3200*1180*1980</b>
Max. Climbing Degree	<b>≥20%</b>	Mileage	<b>≥^0KM</b>

BRAND



Model	<b>M1S2+2</b>	Passenger	<b>2+2</b>
Max. Speed	<b>≤30KM</b>	Mileage	<b>≥90km</b>
Max. Climbing	<b>≥25%</b>	Dimensions	<b>2700*1200*2000</b>

BRAND



Model	<b>E4C/E4CY</b>	Passenger	<b>4+2</b>
Max. Speed	<b>≤24KM</b>	Mileage	<b>≥90km</b>
Max. Climbing	<b>≥20%</b>	Dimensions	<b>3705*1210*1980</b>

BRAND



EAGLE



Model	<b>EG204EK</b>	Passenger	<b>4</b>
Max. Speed	<b>≤24KM</b>	Mileage	<b>≥70km</b>
Max. Climbing	<b>≥20%</b>	Dimensions	<b>3670*1325*2033</b>

BRAND



Model	<b>LT-A827.2+2G</b>	Passenger	<b>2+2</b>
Max. Speed	<b>≤30KM</b>	Mileage	<b>≥90km</b>
Max. Climbing	<b>≥20%</b>	Dimensions	<b>2930*1370*2060</b>

P06

Muhammad Hadi Al-Juhani Trading Est  
 Sulai District, Mehmoud Al Halbi Street, Riyadh, KSA  
 Info@aidecarts.com, +966 58 000 6668

# GOLF CARTS MODELS



# 4-SEATERS

Brand



EAGLE



Model	<b>EG2048K</b>	Passenger	<b>4</b>
Max. Speed	<b>≤23KM</b>	Dimensions	<b>3140*1180*1940</b>
Max. Climbing Degree	<b>≥20%</b>	Mileage	<b>≥60KM</b>

BRAND



EAGLE



Model	<b>202AKSZ</b>	Passenger	<b>2+2</b>
Max. Speed	<b>≤32KM</b>	Mileage	<b>≥90km</b>
Max. Climbing	<b>≥25%</b>	Dimensions	<b>2450*1180*1980</b>

BRAND



Model	<b>Z2C</b>	Passenger	<b>2+2</b>
Max. Speed	<b>≤24KM</b>	Mileage	<b>≥90km</b>
Max. Climbing	<b>≥20%</b>	Dimensions	<b>2860×1210×2065</b>

BRAND



Model	<b>E2C</b>	Passenger	<b>2+2</b>
Max. Speed	<b>≤24KM</b>	Mileage	<b>≥90km</b>
Max. Climbing	<b>≥20%</b>	Dimensions	<b>2860*1210*2065</b>

BRAND



Model	<b>M1S4</b>	Passenger	<b>2+2</b>
Max. Speed	<b>≤35KM</b>	Mileage	<b>≥100km</b>
Max. Climbing	<b>≥30%</b>	Dimensions	<b>3000x1120x1900</b>

P07

Muhammad Hadi Al-Juhani Trading Est  
 Sulai District, Mehmoud Al Halbi Street, Riyadh, KSA  
 Info@aidecarts.com, +966 58 000 6668

# GOLF CARTS MODELS





# 4-SEATERS

Brand



Model	<b>CK4</b>	Passenger	<b>4</b>
Max. Speed	<b>≤45KM</b>	Dimensions	<b>3200*1200*1800</b>
Max. Climbing Degree	<b>≥30%</b>	Mileage	<b>≥100KM</b>

BRAND



Model	<b>CK2+2</b>	Passenger	<b>2+2</b>
Max. Speed	<b>≤30KM</b>	Mileage	<b>≥100km</b>
Max. Climbing	<b>≥20%</b>	Dimensions	<b>2800*1900*1300</b>

BRAND



Model	<b>Z4</b>	Passenger	<b>4</b>
Max. Speed	<b>≤24KM</b>	Mileage	<b>≥90km</b>
Max. Climbing	<b>≥20%</b>	Dimensions	<b>3200×1210×1900</b>

BRAND



Model	<b>E2C</b>	Passenger	<b>2+2</b>
Max. Speed	<b>≤24KM</b>	Mileage	<b>≥90km</b>
Max. Climbing	<b>≥20%</b>	Dimensions	<b>2860*1210*2065</b>

BRAND



Model	<b>M1S4</b>	Passenger	<b>4</b>
Max. Speed	<b>≤35KM</b>	Mileage	<b>≥100km</b>
Max. Climbing	<b>≥30%</b>	Dimensions	<b>3000x1120x1900</b>

P08

Muhammad Hadi Al-Juhani Trading Est  
 Sulai District, Mehmoud Al Halbi Street, Riyadh, KSA  
 Info@aidecarts.com, +966 58 000 6668

# GOLF CARTS MODELS



# 4-SEATERS



Model	<b>Z2C</b>	Passenger	<b>2+2</b>
Max. Speed	<b>≤24KM</b>	Dimensions	<b>2860*1210*2065</b>
Max. Climbing Degree	<b>≥20%</b>	Mileage	<b>≥90KM</b>

BRAND



EAGLE



Model	<b>202AKSZ</b>	Passenger	<b>2+2</b>
Max. Speed	<b>≤32KM</b>	Mileage	<b>≥35km</b>
Max. Climbing	<b>≥25%</b>	Dimensions	<b>2450*1180*1980</b>

BRAND



Model	<b>M1S2+2FF</b>	Passenger	<b>2+2</b>
Max. Speed	<b>≤25KM</b>	Mileage	<b>≥100km</b>
Max. Climbing	<b>≥30%</b>	Dimensions	<b>3200x1200x2000</b>

BRAND



EAGLE



Model	<b>EG204EK</b>	Passenger	<b>4</b>
Max. Speed	<b>≤40KM</b>	Mileage	<b>≥70km</b>
Max. Climbing	<b>≥20%</b>	Dimensions	<b>3670*1325*2033</b>

P09

Muhammad Hadi Al-Juhani Trading Est  
 Sulai District, Mehmoud Al Halbi Street, Riyadh, KSA  
 Info@aidecarts.com, +966 58 000 6668

**GOLF CARTS  
 MODELS**



# 4-SEATERS

Brand

**LVTONG**®



Model	<b>LT-A827.4</b>	Passenger	<b>4</b>
Max. Speed	<b>≤40KM</b>	Dimensions	<b>3360*1210*1900</b>
Max. Climbing Degree	<b>≥25%</b>	Mileage	<b>≥700KM</b>

BRAND



EAGLE



Model	<b>EG2028KSF</b>	Passenger	<b>2+2</b>
Max. Speed	<b>≤35KM</b>	Mileage	<b>≥80km</b>
Max. Climbing	<b>≥20%</b>	Dimensions	<b>2670*1180*1890</b>

BRAND



Model	<b>E2C</b>	Passenger	<b>2+2</b>
Max. Speed	<b>≤24KM</b>	Mileage	<b>≥90km</b>
Max. Climbing	<b>≥20%</b>	Dimensions	<b>2860×1210×2065</b>

BRAND



EAGLE



Model	<b>EG202DKSZ</b>	Passenger	<b>2+2</b>
Max. Speed	<b>≤40KM</b>	Mileage	<b>≥90km</b>
Max. Climbing	<b>≥20%</b>	Dimensions	<b>2920×1325×2033</b>

**P10**

Muhammad Hadi Al-Juhani Trading Est  
 Sulai District, Mehmoud Al Halbi Street, Riyadh, KSA  
 Info@aidecarts.com, +966 58 000 6668

# GOLF CARTS MODELS



# 6-SEATERS

Brand



Model	<b>CK4+2/FF</b>	Passenger	<b>4+2</b>
Max. Speed	<b>≤45KM</b>	Dimensions	<b>3700*1330*2050</b>
Max. Climbing Degree	<b>≥30%</b>	Mileage	<b>≥100KM</b>

BRAND



Model	<b>EW2028K</b>	Passenger	<b>6</b>
Max. Speed	<b>≤30KM</b>	Mileage	<b>≥90km</b>
Max. Climbing	<b>≥10%</b>	Dimensions	<b>2300*1200*1900</b>

BRAND



Model	<b>R4C</b>	Passenger	<b>4+2</b>
Max. Speed	<b>≤24KM</b>	Mileage	<b>≥80km</b>
Max. Climbing	<b>≥15%</b>	Dimensions	<b>3720*1210*1945</b>

BRAND



Model	<b>LT-A827.4+2G</b>	Passenger	<b>4+2</b>
Max. Speed	<b>≤25KM</b>	Mileage	<b>≥80km</b>
Max. Climbing	<b>≥15%</b>	Dimensions	<b>3700*1320*2030</b>

BRAND



Model	<b>EG2048KSF</b>	Passenger	<b>4+2</b>
Max. Speed	<b>≤23KM</b>	Mileage	<b>≥80km</b>
Max. Climbing	<b>≥20%</b>	Dimensions	<b>3420*1180*1940</b>



# 6-SEATERS

Brand



Model	Passenger
<b>D5-Maverick-6</b>	<b>6</b>
Max. Speed	Dimensions
<b>≤40KM</b>	<b>3760*1418*2035</b>
Max. Climbing Degree	Mileage
<b>≥25%</b>	<b>≥100KM</b>

BRAND



Model	Passenger
<b>M1S4+2</b>	<b>4+2</b>
Max. Speed	Mileage
<b>≤45KM</b>	<b>≥100km</b>
Max. Climbing	Dimensions
<b>≥25%</b>	<b>3500x1200x1800</b>

BRAND



Model	Passenger
<b>R6</b>	<b>6</b>
Max. Speed	Mileage
<b>≤24KM</b>	<b>≥80km</b>
Max. Climbing	Dimensions
<b>≥15%</b>	<b>3980×1210×1980</b>

BRAND



EAGLE



Model	Passenger
<b>EG2048KSZ</b>	<b>4+2</b>
Max. Speed	Mileage
<b>≤30KM</b>	<b>≥80km</b>
Max. Climbing	Dimensions
<b>≥20%</b>	<b>3640*1180*1990</b>



# 6-SEATERS



Model	<b>R4C</b>	Passenger	<b>4+2</b>
Max. Speed	<b>≤24KM</b>	Dimensions	<b>3720*1210*1945</b>
Max. Climbing Degree	<b>≥15%</b>	Mileage	<b>≥80KM</b>



Model	<b>CK4+2</b>	Passenger	<b>4+2</b>
Max. Speed	<b>≤45KM</b>	Mileage	<b>≥100km</b>
Max. Climbing	<b>≥30%</b>	Dimensions	<b>3700x1330x2050</b>



Model	<b>Z4C</b>	Passenger	<b>4+2</b>
Max. Speed	<b>≤35KM</b>	Mileage	<b>≥90km</b>
Max. Climbing	<b>≥15%</b>	Dimensions	<b>3980×1210×1980</b>



Model	<b>LT-A827.4+2</b>	Passenger	<b>6</b>
Max. Speed	<b>≤40KM</b>	Mileage	<b>≥90km</b>
Max. Climbing	<b>≥20%</b>	Dimensions	<b>3615*1210*1905</b>



Model	<b>EG204AKSZ</b>	Passenger	<b>4+2</b>
Max. Speed	<b>≤32KM</b>	Mileage	<b>≥60km</b>
Max. Climbing	<b>≥20%</b>	Dimensions	<b>3720*1180*1980</b>



# 6-SEATERS

Brand **ZYCAR**



Model	<b>CK6</b>	Passenger	<b>6</b>
Max. Speed	<b>≤45KM</b>	Dimensions	<b>4000*1200*1800</b>
Max. Climbing Degree	<b>≥30%</b>	Mileage	<b>≥100KM</b>

BRAND



EAGLE



Model	<b>EG204AKSF</b>	Passenger	<b>4+2</b>
Max. Speed	<b>≤32KM</b>	Mileage	<b>≥60km</b>
Max. Climbing	<b>≥20%</b>	Dimensions	<b>3200*1180*1980</b>

BRAND



EAGLE



Model	<b>EG206AK</b>	Passenger	<b>6</b>
Max. Speed	<b>≤40KM</b>	Mileage	<b>≥70km</b>
Max. Climbing	<b>≥20%</b>	Dimensions	<b>3670*1325*2033</b>

BRAND



Model	<b>A1S6+2/FF</b>	Passenger	<b>6</b>
Max. Speed	<b>≤24KM</b>	Mileage	<b>≥70km</b>
Max. Climbing	<b>≥20%</b>	Dimensions	<b>4300*1200*1800</b>

BRAND



EAGLE



Model	<b>EG206EK</b>	Passenger	<b>6</b>
Max. Speed	<b>≤40KM</b>	Mileage	<b>≥70km</b>
Max. Climbing	<b>≥20%</b>	Dimensions	<b>3670*1325*2033</b>



# 6-SEATERS

Brand  
**HADI**



Model	<b>EW2028K</b>	Passenger	<b>6</b>
Max. Speed	<b>≤30KM</b>	Dimensions	<b>2300*1200*1900</b>
Max. Climbing Degree	<b>≥10%</b>	Mileage	<b>≥90KM</b>

BRAND  
**ZYCAR**



Model	<b>Z4C</b>	Passenger	<b>4+2</b>
Max. Speed	<b>≤24KM</b>	Mileage	<b>≥90km</b>
Max. Climbing	<b>≥20%</b>	Dimensions	<b>3720×1210×1945</b>

BRAND  
**EAGLE**



Model	<b>EG204DKSZ</b>	Passenger	<b>4+2</b>
Max. Speed	<b>≤40KM</b>	Mileage	<b>≥70km</b>
Max. Climbing	<b>≥20%</b>	Dimensions	<b>3670*1325*2033</b>

BRAND  
**EXCAR**



Model	<b>A1S4+2</b>	Passenger	<b>4+2</b>
Max. Speed	<b>≤25KM</b>	Mileage	<b>≥80km</b>
Max. Climbing	<b>≥20%</b>	Dimensions	<b>3500*1200*1800</b>





# 8-SEATERS

Brand



EAGLE



Model	<b>EG206EK</b>	Passenger	<b>4+2</b>
Max. Speed	<b>≤40KM</b>	Dimensions	<b>2950*1250*2000</b>
Max. Climbing Degree	<b>≥30%</b>	Mileage	<b>≥120KM</b>

BRAND  
ZYCAR



Model	<b>Z6C</b>	Passenger	<b>6+2</b>
Max. Speed	<b>≤24KM</b>	Mileage	<b>≥90km</b>
Max. Climbing	<b>≥20%</b>	Dimensions	<b>4470*1210*1980</b>

BRAND  
EAGLE



Model	<b>EG204DKSZ</b>	Passenger	<b>6+2</b>
Max. Speed	<b>≤30KM</b>	Mileage	<b>≥90km</b>
Max. Climbing	<b>≥25%</b>	Dimensions	<b>4330*1200*1900</b>

BRAND



Model	<b>M1S8+3</b>	Passenger	<b>6+2</b>
Max. Speed	<b>≤35KM</b>	Mileage	<b>≥70km</b>
Max. Climbing	<b>20%</b>	Dimensions	<b>4300*1200*1900</b>

BRAND  
LVTONG®



Model	<b>LT-A617.6+2</b>	Passenger	<b>6+2</b>
Max. Speed	<b>≤40KM</b>	Mileage	<b>≥90km</b>
Max. Climbing	<b>≥20%</b>	Dimensions	<b>4405*1210*1915</b>



# 8-SEATERS

Brand



EAGLE



Model	<b>EG2068KSZ</b>	Passenger	<b>6+2</b>
Max. Speed	<b>≤23KM</b>	Dimensions	<b>4400*1190*2010</b>
Max. Climbing Degree	<b>≥15%</b>	Mileage	<b>≥60KM</b>

BRAND  
ZYCAR



Model	<b>R6C</b>	Passenger	<b>6+2</b>
Max. Speed	<b>≤24KM</b>	Mileage	<b>≥80km</b>
Max. Climbing	<b>≥15%</b>	Dimensions	<b>4470*1210*1980</b>

BRAND  
EAGLE



Model	<b>EG2068KSF</b>	Passenger	<b>6+2</b>
Max. Speed	<b>≤23KM</b>	Mileage	<b>≥100km</b>
Max. Climbing	<b>≥15%</b>	Dimensions	<b>4210*1190*2010</b>

BRAND



Model	<b>CK6</b>	Passenger	<b>6+2</b>
Max. Speed	<b>≤40KM</b>	Mileage	<b>≥100km</b>
Max. Climbing	<b>≥30%</b>	Dimensions	<b>4000*1200*1800</b>



# 8-SEATERS

Brand **LVTONG®**



Model	<b>LT-A827.6+2</b>	Passenger	<b>6+2</b>
Max. Speed	<b>≤25KM</b>	Dimensions	<b>4405*1210*1915</b>
Max. Climbing Degree	<b>≥15%</b>	Mileage	<b>≥80KM</b>

BRAND



Model	<b>A1S8+3</b>	Passenger	<b>6+2</b>
Max. Speed	<b>≤24KM</b>	Mileage	<b>≥70km</b>
Max. Climbing	<b>≥20%</b>	Dimensions	<b>4300*1200*1800</b>

BRAND



Model	<b>R6C</b>	Passenger	<b>6+2</b>
Max. Speed	<b>≤24KM</b>	Mileage	<b>≥80km</b>
Max. Climbing	<b>≥15%</b>	Dimensions	<b>4470*1210*1980</b>

BRAND



Model	<b>M1S6+2/FF</b>	Passenger	<b>6+2</b>
Max. Speed	<b>≤24KM</b>	Mileage	<b>≥70km</b>
Max. Climbing	<b>≥20%</b>	Dimensions	<b>4300*1200*1900</b>

BRAND



Model	<b>M1S6</b>	Passenger	<b>6+2</b>
Max. Speed	<b>≤24KM</b>	Mileage	<b>≥70km</b>
Max. Climbing	<b>≥20%</b>	Dimensions	<b>4292x1219x1828</b>



# UTILITY CARTS

Brand  
**LVTONG®**



Model	<b>LT-827.4+2</b>	Passenger	<b>2 + Cargo</b>
Max. Speed	<b>40KM</b>	Cargo Box	<b>1500*1100*265</b>
Max. Climbing Degree	<b>≥20%</b>	Mileage	<b>≥90KM</b>

BRAND  
**FXCAR**



Model	<b>A1H2/LC</b>	Passenger	<b>2 + Housekeeping</b>
Max. Speed	<b>≤23KM</b>	Mileage	<b>≥90km</b>
Max. Climbing	<b>≥25%</b>	Dimensions	<b>-----</b>

BRAND  
**ZYCAR**



Model	<b>ZH05</b>	Passenger	<b>2 + Housekeeping</b>
Max. Speed	<b>≤24KM</b>	Mileage	<b>≥90km</b>
Max. Climbing	<b>≥15%</b>	Dimensions	<b>3350*1220*1930</b>

BRAND  
**LVTONG®**



Model	<b>LT-827</b>	Passenger	<b>2 + Cargo</b>
Max. Speed	<b>≤40KM</b>	Mileage	<b>≥90km</b>
Max. Climbing	<b>≥20%</b>	Cargo Box	<b>2000*1100*265</b>

BRAND  
**LVTONG®**



Model	<b>LT-827.4</b>	Passenger	<b>4 + Cargo</b>
Max. Speed	<b>≤50KM</b>	Mileage	<b>≥90km</b>
Max. Climbing	<b>≥25%</b>	Dimensions	<b>3360*1210*1900</b>



# UTILITY CARTS

Brand



EAGLE



Model	<b>EG204AHCX</b>	Passenger	<b>2 + Cargo</b>
Max. Speed	<b>32KM</b>	Cargo Box	<b>3430*1180*1800</b>
Max. Climbing Degree	<b>≥20%</b>	Mileage	<b>≥60KM</b>

BRAND



Model	<b>A1H2/LC</b>	Passenger	<b>2 + F&amp;B</b>
Max. Speed	<b>≤23KM</b>	Mileage	<b>≥90km</b>
Max. Climbing	<b>≥25%</b>	Dimensions	<b>-----</b>

BRAND



EAGLE



Model	<b>EG204EH</b>	Passenger	<b>4 + Cargo</b>
Max. Speed	<b>≤40KM</b>	Mileage	<b>≥80km</b>
Max. Climbing	<b>≥20%</b>	Dimensions	<b>3670*1325*2033</b>

BRAND



Model	<b>A1H2/CC</b>	Passenger	<b>2 + Cargo</b>
Max. Speed	<b>≤45KM</b>	Mileage	<b>≥90km</b>
Max. Climbing	<b>≥30%</b>	Cargo Box	<b>-----</b>

BRAND



Model	<b>A1H2/LC</b>	Passenger	<b>2 + Housekeeping</b>
Max. Speed	<b>≤45KM</b>	Mileage	<b>≥90km</b>
Max. Climbing	<b>≥35%</b>	Dimensions	<b>-----</b>

P20

Muhammad Hadi Al-Juhani Trading Est  
 Sulai District, Mehmoud Al Halbi Street, Riyadh, KSA  
 Info@aidecarts.com, +966 58 000 6668

**GOLF CARTS  
 MODELS**



# UTILITY CARTS

Brand  
**LVTONG**®



Model	<b>LT-827.4+2</b>	Passenger	<b>2 + F&amp;B</b>
Max. Speed	<b>40KM</b>	Dimensions	<b>1500*1100*265</b>
Max. Climbing Degree	<b>≥20%</b>	Mileage	<b>≥90KM</b>

BRAND  
**ZYCAR**



Model	<b>EH05</b>	Passenger	<b>2 + Cargo</b>
Max. Speed	<b>≤35KM</b>	Mileage	<b>≥80km</b>
Max. Climbing	<b>≥30%</b>	Dimensions	<b>3350*1220*1930</b>

BRAND



Model	<b>M1H2</b>	Passenger	<b>2 + Cargo</b>
Max. Speed	<b>≤23KM</b>	Mileage	<b>≥90km</b>
Max. Climbing	<b>≥30%</b>	Dimensions	<b>3400*1200*1800</b>

BRAND  
**ZYCAR**



Model	<b>A1H2/CC</b>	Passenger	<b>2 + Cargo</b>
Max. Speed	<b>≤24KM</b>	Mileage	<b>≥90km</b>
Max. Climbing	<b>≥15%</b>	Cargo Box	<b>3350*1220*1930</b>

BRAND



EAGLE



Model	<b>EG204EHCX</b>	Passenger	<b>2 + Cargo</b>
Max. Speed	<b>≤40KM</b>	Mileage	<b>≥70km</b>
Max. Climbing	<b>≥20%</b>	Dimensions	<b>-----</b>



# UTILITY CARTS

Brand



Model <b>ROYAL - M1S2+2/F</b>	Passenger <b>2 + Cargo Box</b>
Max. Speed <b>35KM</b>	Dimensions <b>3200*1200*2000</b>
Max. Climbing Degree <b>≥30%</b>	Mileage <b>≥100KM</b>

BRAND



Model <b>A1H2 / CC</b>	Passenger <b>2 + Cargo</b>
Max. Speed <b>≤23KM</b>	Mileage <b>≥90km</b>
Max. Climbing <b>≥30%</b>	Dimensions <b>--</b>

BRAND



Model <b>Crown - LT-A827.6</b>	Passenger <b>2 + Cargo</b>
Max. Speed <b>≤40KM</b>	Mileage <b>≥70km</b>
Max. Climbing <b>≥25%</b>	Cargo <b>500*1100*265</b>

BRAND



Model <b>Crown - LT-A827.6</b>	Passenger <b>2 + Cargo</b>
Max. Speed <b>≤24KM</b>	Mileage <b>≥90km</b>
Max. Climbing <b>≥15%</b>	Cargo Box <b>3350*1220*1930</b>

BRAND



Model <b>ROYAL - M1S2+2/F</b>	Passenger <b>2 + Cargo</b>
Max. Speed <b>≤35KM</b>	Mileage <b>≥100km</b>
Max. Climbing <b>≥30%</b>	Dimensions <b>3200*1200*2000</b>



# DISABILITY CARTS

Brand



Model	<b>M1S4</b>	Passenger	<b>4 + Disability Rampe</b>
Max. Speed	<b>35KM</b>	Dimensions	<b>3000*1120*1900</b>
Max. Climbing Degree	<b>≥30%</b>	Mileage	<b>≥100KM</b>

BRAND



Model	<b>G1S8</b>	Passenger	<b>5 + Disability Ramp</b>
Max. Speed	<b>≤40KM</b>	Mileage	<b>≥80km</b>
Max. Climbing	<b>≥25%</b>	Dimensions	<b>4500*1500*2000</b>

BRAND



Model	<b>Crown - LT-A827.6</b>	Passenger	<b>4 + Disability Ramp</b>
Max. Speed	<b>≤40KM</b>	Mileage	<b>≥70km</b>
Max. Climbing	<b>≥25%</b>	Cargo	<b>500*1100*265</b>

BRAND



Model	<b>Crown - LT-A827.6</b>	Passenger	<b>8+Disability Rampe</b>
Max. Speed	<b>≤50KM</b>	Mileage	<b>≥90km</b>
Max. Climbing	<b>≥25%</b>	Cargo Box	<b>2920*1180*1890</b>

BRAND



EAGLE



Model	<b>EG2068T</b>	Passenger	<b>4 + Disability Ramp</b>
Max. Speed	<b>≤32KM</b>	Mileage	<b>≥70km</b>
Max. Climbing	<b>≥20%</b>	Dimensions	<b>3100*1180*1940</b>





# AMBULANCE

Brand



Model	<b>Ambulance</b>	Passenger	<b>2+ Stretcher</b>
Max. Speed	<b>35KM</b>	Dimensions	<b>2920*1180*1890</b>
Max. Climbing Degree	<b>≥30%</b>	Mileage	<b>≥80KM</b>

BRAND  
LVTONG®



Model	<b>LT-A2.HS</b>	Passenger	<b>2+ Stretcher</b>
Max. Speed	<b>≤24KM</b>	Mileage	<b>≥100km</b>
Max. Climbing	<b>≥25%</b>	Dimensions	<b>3400*1200*1900</b>

BRAND  
EXCAR



Model	<b>A1H2 / EC</b>	Passenger	<b>2+ Stretcher</b>
Max. Speed	<b>≤23KM</b>	Mileage	<b>≥90km</b>
Max. Climbing	<b>≥20%</b>	Cargo	<b>3400*1200*1800</b>

BRAND  
EAGLE



Model	<b>EG2048TB1</b>	Passenger	<b>2+ Stretcher</b>
Max. Speed	<b>≤32KM</b>	Mileage	<b>≥55km</b>
Max. Climbing	<b>≥20%</b>	Dimensions	<b>3100*1180*1940</b>



# POLICE & SECURITY

Brand  
**LVTONG**®



Model	<b>LT-S4</b>	Passenger	<b>4</b>
Max. Speed	<b>50KM</b>	Dimensions	<b>2760*1290*1610</b>
Max. Climbing Degree	<b>≥20%</b>	Mileage	<b>≥130KM</b>

BRAND  
**LVTONG**®



Model	<b>LT-S4.DBP</b>	Passenger	<b>4</b>
Max. Speed	<b>≤50KM</b>	Mileage	<b>≥90km</b>
Max. Climbing	<b>≥25%</b>	Dimensions	<b>2760*1290*1610</b>

BRAND  
**EXCAR**



Model	<b>A1S4</b>	Passenger	<b>4</b>
Max. Speed	<b>≤35KM</b>	Mileage	<b>≥80km</b>
Max. Climbing	<b>≥30%</b>	Cargo	<b>3175*1219*1727</b>

BRAND  
**EAGLE**



Model	<b>EG6311P</b>	Passenger	<b>4</b>
Max. Speed	<b>≤32KM</b>	Mileage	<b>≥105km</b>
Max. Climbing	<b>≥20%</b>	Cargo Box	<b>3110 * 1500 * 1720</b>

BRAND  
**EAGLE**



Model	<b>A1S2</b>	Passenger	<b>2 + Cargo</b>
Max. Speed	<b>≤35KM</b>	Mileage	<b>≥80km</b>
Max. Climbing	<b>≥25%</b>	Dimensions	<b>3200*1500*2100</b>



# CLASSIC-ROYAL CART

Brand



Model	<b>GD8-Y8</b>	Passenger	<b>8</b>
Max. Speed	<b>28KM</b>	Dimensions	<b>4860*1570*1950</b>
Max. Climbing Degree	<b>≥15%</b>	Mileage	<b>≥90KM</b>

Brand



Model	<b>LT-S8.FB</b>	Passenger	<b>8</b>
Max. Speed	<b>30KM</b>	Dimension	<b>5050*1490*1900</b>
Max. Climbing Degree	<b>≥20%</b>	Mileage	<b>≥75KM</b>



# FIREFIGHTING

Brand



EAGLE



Model	<b>EG6023F</b>	Passenger	<b>2</b>
Max. Speed	<b>30KM</b>	Dimensions	<b>3930*1465*1910</b>
Max. Climbing Degree	<b>≥20%</b>	Mileage	<b>≥70KM</b>

BRAND  
LVTONG®



Model	<b>LT-S2.XF</b>	Passenger	<b>2</b>
Max. Speed	<b>≤30KM</b>	Mileage	<b>≥70km</b>
Max. Climbing	<b>≥25%</b>	Dimensions	<b>3590*1500*1900</b>

BRAND  
LVTONG®



Model	<b>LT-S4.XF</b>	Passenger	<b>4</b>
Max. Speed	<b>≤28KM</b>	Mileage	<b>≥70km</b>
Max. Climbing	<b>≥5%</b>	Cargo	<b>4700*1508*2115</b>

BRAND  
EAGLE



Model	<b>EG6014F</b>	Passenger	<b>4</b>
Max. Speed	<b>≤30KM</b>	Mileage	<b>≥40km</b>
Max. Climbing	<b>≥15%</b>	Cargo Box	<b>3110 * 1500 * 1720</b>

BRAND  
EAGLE



Model	<b>EG6040F</b>	Passenger	<b>2</b>
Max. Speed	<b>≤45KM</b>	Mileage	<b>≥70km</b>
Max. Climbing	<b>≥20%</b>	Dimensions	<b>4950*1590*2495</b>



# SIGHTING BUS-OPEN

Brand  
**LVTONG®**



Model	<b>LT-S8+3</b>	Passenger	<b>8</b>
Max. Speed	<b>30KM</b>	Dimensions	<b>4590*1480*2100</b>
Max. Climbing Degree	<b>≥20%</b>	Mileage	<b>≥110KM</b>

BRAND



EAGLE



Model	<b>EG608AK</b>	Passenger	<b>7</b>
Max. Speed	<b>≤40KM</b>	Mileage	<b>≥100km</b>
Max. Climbing	<b>≥20%</b>	Dimensions	<b>4100*1500*1890</b>

BRAND

**LVTONG®**



Model	<b>LT-S4.XF</b>	Passenger	<b>2 + Cargo</b>
Max. Speed	<b>≤30KM</b>	Mileage	<b>≥100km</b>
Max. Climbing	<b>≥20%</b>	Cargo	<b>4590*1480*2100</b>

BRAND



EAGLE



Model	<b>EG6014F</b>	Passenger	<b>23</b>
Max. Speed	<b>≤27KM</b>	Mileage	<b>≥210km</b>
Max. Climbing	<b>≥20%</b>	Cargo Box	<b>6170*1940*2350</b>

BRAND



EAGLE



Model	<b>EG6158K</b>	Passenger	<b>14</b>
Max. Speed	<b>≤45KM</b>	Mileage	<b>≥80km</b>
Max. Climbing	<b>≥20%</b>	Dimensions	<b>5020*1490*2080</b>



# SIGHTING BUS-AC

Brand  
**LVTONG®**



Model	<b>TB011170</b>	Passenger	<b>Airconditioned - 17</b>
Max. Speed	<b>30KM</b>	Dimensions	<b>5900*1500*2060</b>
Max. Climbing Degree	<b>≥20%</b>	Mileage	<b>≥100KM</b>

BRAND  
**EXCAR**



Model	<b>G1S14</b>	Passenger	<b>14</b>
Max. Speed	<b>≤23KM</b>	Mileage	<b>≥70km</b>
Max. Climbing	<b>≥20%</b>	Dimensions	<b>5300x1500x2000</b>

BRAND  
**LVTONG®**



Model	<b>LT-S8.F</b>	Passenger	<b>Airconditioned - 8</b>
Max. Speed	<b>≤28KM</b>	Mileage	<b>≥120km</b>
Max. Climbing	<b>≥20%</b>	Cargo	<b>4310*1565*2350</b>

BRAND  
**EAGLE**



Model	<b>EG6118KBF</b>	Passenger	<b>11</b>
Max. Speed	<b>≤45KM</b>	Mileage	<b>≥80km</b>
Max. Climbing	<b>≥15%</b>	Cargo Box	<b>5100*1580*2080</b>

BRAND  
**LVTONG®**



Model	<b>LT-S14.F</b>	Passenger	<b>14</b>
Max. Speed	<b>≤30KM</b>	Mileage	<b>≥100km</b>
Max. Climbing	<b>≥18%</b>	Dimensions	<b>5100*1560*2010</b>



# THEME PARK-TOURIST TRAIN

Brand

**MODERN RIDES**



Model	<b>TAB31</b>	Passenger	<b>10</b>
Max. Speed	<b>20KM</b>	Usage	<b>Theme Park,</b>
Max. Climbing Degree	<b>≥20%</b>	Mileage	<b>≥75KM</b>

BRAND



Model	<b>HFTT26</b>	Passenger	<b>6/Cabin</b>
Max. Speed	<b>≤7KM</b>	Usage	<b>Theme Park,</b>
Max. Climbing	<b>≥15%</b>	Dimensions	<b>3275x1023x2120</b>

BRAND



Model	<b>TT213</b>	Passenger	<b>16</b>
Max. Speed	<b>≤8KM</b>	Mileage	<b>≥80km</b>
Max. Climbing	<b>≥15%</b>	Cargo	<b>4310*1565*2350</b>

BRAND



Model	<b>YM Royal</b>	Passenger	<b>10</b>
Max. Speed	<b>≤15KM</b>	Mileage	<b>≥100km</b>
Max. Climbing	<b>≥15%</b>	Cargo Box	<b>3100*1140*1950</b>

BRAND



Model	<b>Limeiqi- WG-25</b>	Passenger	<b>10</b>
Max. Speed	<b>≤8KM</b>	Mileage	<b>≥100km</b>
Max. Climbing	<b>≥18%</b>	Dimensions	<b>10500*1160*1920</b>

**P30**

Muhammad Hadi Al-Juhani Trading Est  
Sulai District, Mehmoud Al Halbi Street, Riyadh, KSA  
Info@aidecarts.com, +966 58 000 6668

**GOLF CARTS  
MODELS**



# MOBILITY SCOOTER

Brand



Model	<b>LIBRA-DX</b>	Passenger	<b>1</b>
Max. Speed	<b>8KM</b>	Weight	<b>52.9KG</b>
Max. Climbing Degree	<b>6%</b>	Mileage	<b>25KM</b>

BRAND



Model	<b>Colt Executive</b>	Passenger	<b>1</b>
Max. Speed	<b>≤8KM</b>	weight	<b>181kg</b>
Max. Climbing	<b>≥15%</b>	Milage	<b>39km</b>

BRAND



Model	<b>M2 Leisure</b>	Passenger	<b>1</b>
Max. Speed	<b>25KM</b>	Weight	<b>150kg</b>
Max. Climbing	<b>≥15%</b>	Mileage	<b>45km</b>

BRAND



Model	<b>Pursuit XL SC714</b>	Passenger	<b>1</b>
Max. Speed	<b>≤7.5KM</b>	weight	<b>141kg</b>
Max. Climbing	<b>≥15%</b>	Milage	<b>35km</b>

BRAND



Model	<b>EEC FST- U1</b>	Passenger	<b>1</b>
Max. Speed	<b>≤30KM</b>	Weight	<b>150km</b>
Max. Climbing	<b>≥25%</b>	Mileage	<b>≥50km</b>





# E-BIKES & SCOOTER

Brand

**ANMOTO**



Model	<b>LVNENG ACE</b>	Passenger	<b>1</b>
Max. Speed	<b>25KM</b>	Weight	<b>35KG</b>
Max. Climbing Degree	<b>15%</b>	Mileage	<b>70KM</b>

BRAND  
**JOYOR**



Model	<b>Joyor Y6-S</b>	Passenger	<b>1</b>
Max. Speed	<b>≤45KM</b>	weight	<b>24kg</b>
Max. Climbing	<b>≥10%</b>	Milage	<b>75km</b>

BRAND  
**JOYOR**



Model	<b>Joyor Y6-S</b>	Passenger	<b>1</b>
Max. Speed	<b>≤20KM</b>	weight	<b>27.5kg</b>
Max. Climbing	<b>≥10%</b>	Milage	<b>75km</b>

BRAND  
**HX**



Model	<b>HX kixin X10</b>	Passenger	<b>1</b>
Max. Speed	<b>25KM</b>	Weight	<b>38kg</b>
Max. Climbing	<b>≥10%</b>	Mileage	<b>100km</b>

BRAND  
**JINYE**



Model	<b>JINYE M1</b>	Passenger	<b>1</b>
Max. Speed	<b>≤50KM</b>	Weight	<b>26kg</b>
Max. Climbing	<b>≥25%</b>	Mileage	<b>≥90km</b>



# GASOLINE VEHICLES



**BAW PICK UP**

	Standard Wheelbase	Long Wheelbase
Dimension (mm)	5270*1900*1860	5520*1900*1860
Cargo box size (mm)	1595*1540*545	1845*1540*545
Wheelbase (mm)	3160	3410
Seats	5	5
Ground clearance (mm)	230	230
Curb weight (kg)	1625	1645
Displacement (ml)		1962
Max power (kW)		106
Max torque (N m)		200
Max speed (km/h)		120
Drive type	Rear drive 4x2	
Brake type	Disc/Drum	
Tire type	235/70R16	
Gearbox	5MT/8AT	
Suspension front	McPherson independent	
Suspension rear	Leaf spring	
Fuel tank volume (l)	70	



**BAW MPV**

	Standard wheelbase	Long wheelbase
Dimension (mm)	4860*1870*1945	5230*1870*1945
Wheelbase (mm)	2880	3200
Seats	2/5/7	2/7/9
Ground clearance (mm)	210	210
Curb weight (kg)	1520	1640
Displacement (ml)	1590	1962
Max power (kW)	91	106
Max torque (N m)	161	200
Max speed (km/h)	140	160
Drive type	Rear drive 4x2	
Brake type	Disc/Drum	
Tire type	205/65 R16	
Gear box	5MT/8AT	
Suspension front	McPherson independent suspension	
Suspension rear	Leaf Spring	
Fuel tank volume (l)	58	



**BAW WARRIOR 4X4 PICK UP**

	PICK UP	ORV
Body structure	Body on frame, 4 doors and 5 seats	Body on frame, 5 doors and 5 seats
Dimension (mm)	5440*1850*1970	4490*1825*1950
Cargo box size (mm)	1630*1580*480	/
Wheelbase (mm)	3350	2600
Engine model	4JB1	JE4D25E
Max .power (kW)	68	100
Displacement (l)	2,771	2,499
Max speed (km/h)	100	120
Fuel type	Diesel	Diesel
Brake type	Front disc/rear drum	Front disc/rear drum
Tire type	LT265/75R16	LT265/75R16
Suspension front	Leaf spring	Coil spring
Suspension rear	Leaf spring	Leaf spring
Transmission	5MT	5MT
Operation of transfer case	Mechanical two-speed manual shift	Mechanical two-speed



**BAW 212 OFF-ROAD**

Body structure	Body on frame, 5 doors and 5 seats
Dimension (mm)	4360*1890*1940
Wheelbase (mm)	2620
Tread Front/Rear (mm)	1540
Angle of approach	47°
Angle of Departure	35°
Min. Ground Clearance (mm)	245
Displacement	2.4T
Fuel Type	Gasoline
Max HP(Fs)	211
Max Power (Kw)	155
Max Torque (N/m)	320
Gearbox	6MT
Drive Type	Four-wheel drive 4x4
4 Wheels Drive Type	Part Time 4WD
Brake type	Disc/Drum
Tire type	265/75R16
Suspension front	Double wishbone coil spring non-independent
Suspension rear	Leaf spring non-independent
Oil Tank Volume (l)	70



**BAW SMALL TRUCK**

	T6	T7
Body structure	Frameless	Body on frame
Dimension (mm)	5400*1780*1990	5585/5985*1880*2050
Cargo box size (mm)	3300*1670*380	3300*1780*360
	2600*1670*360	3700*1780*360
Wheelbase (mm)	3350	3400/3600
Seats	45327	45327
Ground clearance (m)	165	170
Curb weight (kg)	1376/1475	1595/1740
Payload capacity (kg)	1500	2000/2500
Tires	195/70R15LTx5	185R14LTx7
Suspension front	McPherson independent	Leaf Spring
Suspension rear		Leaf Spring
Displacement (ml)		1590/1962
Max power (kW)		91/106
Max torque (N m)		161/200
Max speed (km/h)		105
Drive type		Rear drive
Brake type		Disc/Drum
Gear box		5MT



# ELECTRIC VEHICLES



**BAW PONY**

Body structure	3 doors and 4 seats
Dimension (mm)	3162*1498*1580
Wheelbase (mm)	2050
Front/rear track base (mm)	1290/1290
Curb weight	740
Suspension front	McPherson independent
Suspension rear	Trailing arm semi-independent
Driving type	Rear drive
Brake type	Disc/Drum
Tire type	155/65 R13
Battery type	Lithium iron phosphate battery (BMS)
Battery capacity (kWh)	13,7
Rated voltage (V)	102,4
Max speed (km/h)	100
Climbing ability (%)	≥ 20%
Range (KM)	170
Motor type	PMS motor
Rated power/Max power (kW)	13/20



**BAW BRUMBY**

Body structure	5 doors and 4 seats
Dimension (mm)	3532*1498*1605
Wheelbase (mm)	2275
Front/rear track base (mm)	1290/1290
Curb weight	830
Suspension front	McPherson independent
Suspension rear	Three - link non - independent suspension
Drive type	Rear drive
Brake type	Disc/Drum
Tire type	155/65 R13
Battery type	Lithium iron phosphate battery (BMS)
Battery capacity (kWh)	15,12
Rated voltage (V)	112
Max speed (km/h)	100
Climbing ability	≥20%
Range (km)	172
Motor type	PMS
Rated power/Max power (kW)	15/25



**BAW EV MPV**

Dimension (mm)	5230/4860*1870*1945
Wheelbase (mm)	2880 / 3200
Battery type	Lithium iron phosphate battery (BMS)
Battery capacity (kWh)	42/51
Motor type	PMS
Rated power/Max power (kW)	30/60
Charging time/type	(SOC30%-80%) Fast charge for 45 minutes
Max Range	300
Seats	2/5/2007



**BAW EV SMALL TRUCK**

Body structure	2 doors and 2 seats
Dimension (mm)	5785*1880*2030
Cargo box size (mm)	3500*1780*360
Wheelbase (mm)	3600
Front/rear track base (mm)	1490/1448
Ground clearance (mm)	170
Curb weight (kg)	2085
Payload capacity (kg)	1985
Suspension front/rear	Leaf Spring Non-independent, 5/5+2
Drive type	Rear drive
Brake type	Disc/Drum
Tire type	185R14LT 8PR
Battery type	Lithium iron phosphate battery (BMS)
Battery capacity (kWh)	55,7
Max speed (km/h)	85
Range (km)	270
Motor type	PMS
Max Torque (N m)	310
Rated power/Max power (kW)	45/90



**BAW MINI TRUCK**

Model type	HLD1020PIB2BEV
Body structure	2 doors and 2 seats
Dimension (mm)	3555/3820*1480*1705
Cargo box size (mm)	1750/2015*1400*320/1200
Wheelbase (mm)	2200/2450
Front/rear track base (mm)	1290/1290
Ground clearance (mm)	144
Curb weight (kg)	880
Payload capacity (kg)	540
Suspension front	McPherson independent
Suspension rear	Leaf Spring
Drive type	Rear drive
Brake type	Disc/Drum
Tire type	145R12 LT 6PR
Battery type	Lithium iron phosphate battery (BMS)
Battery capacity (kWh)	12.31/15.12
Max speed (km/h)	70
Climbing ability	≥20%
Range (km)	80/140
Motor type	PMS
Max Torque (N m)	130
Rated power/Max power (kW)	15/30



# ELECTRIC INDUSTRIAL VEHICLES

Brand



Model	<b>MT 800</b>	Passenger	<b>2</b>
Load Capacity	<b>1,500 lb</b>	Towing Capacity	<b>50,000 lb</b>
Speed	<b>15 mph</b>	Motor	<b>40 hp AC motor</b>

BRAND



Model	<b>MP 250</b>	Passenger	<b>1</b>
Load Capacity	<b>500 lb</b>	Towing Capacity	<b>2,000 lb</b>
Speed	<b>7 mph</b>	Motor	<b>6 hp Shunt AC</b>

BRAND



Model	<b>MT 160</b>	Passenger	<b>1</b>
Load Capacity	<b>250 lb</b>	Towing Capacity	<b>12,000 lb</b>
Speed	<b>7 mph</b>	Motor	<b>10 hp Brushless AC</b>

BRAND



Model	<b>MC 480</b>	Passenger	<b>4</b>
Load Capacity	<b>2,000 lb</b>	Towing Capacity	<b>6,000 lb</b>
Speed	<b>10 mph</b>	Motor	<b>15 hp Brushless AC</b>

BRAND



Model	<b>MT 210</b>	Passenger	<b>2</b>
Load Capacity	<b>1,200 lb</b>	Towing Capacity	<b>4,000 lb</b>
Speed	<b>10 mph</b>	Motor	<b>10 hp Brushless AC</b>



# ELECTRIC INDUSTRIAL VEHICLES

Brand



Model	<b>MT 180</b>	Passenger	<b>1</b>
Load Capacity	<b>500 lb</b>	Towing Capacity	<b>10,000 lb</b>
Speed	<b>8 mph</b>	Motor	<b>10 hp Brushless AC</b>

BRAND



Model	<b>MT 210</b>	Passenger	<b>1</b>
Load Capacity	<b>500 lb</b>	Towing Capacity	<b>16,000 lb</b>
Speed	<b>6 mph</b>	Motor	<b>10 hp Brushless AC</b>

BRAND



Model	<b>MS 260</b>	Passenger	<b>1</b>
Load Capacity	<b>1,250 lb</b>	Towing Capacity	<b>2,500 lb</b>
Speed	<b>8 mph</b>	Motor	<b>6 hp Shunt</b>

BRAND



Model	<b>MT 240</b>	Passenger	<b>1</b>
Load Capacity	<b>500 lb</b>	Towing Capacity	<b>2,000 lb</b>
Speed	<b>7 mph</b>	Motor	<b>6 hp Shunt</b>

BRAND



Model	<b>MT 120</b>	Passenger	<b>1</b>
Load Capacity	<b>500 lb</b>	Towing Capacity	<b>16,000 lb</b>
Speed	<b>6 mph</b>	Motor	<b>10 hp Brushless AC</b>

P35

Muhammad Hadi Al-Juhani Trading Est  
 Sulai District, Mehmoud Al Halbi Street, Riyadh, KSA  
 Info@aidecarts.com, +966 58 000 6668

**GOLF CARTS  
 MODELS**



# ELECTRIC ROAD CLEANING

Brand  
**M MINGNUO**



Model	<b>MN-S2000</b>	Control	<b>Ride On</b>
Volatge	<b>48V</b>	Sweeping Width	<b>2000-2350</b>
Speed	<b>10 mph</b>	Dimension	<b>4300*2350*2460</b>

BRAND  
**M MINGNUO**



Model	<b>MN-X1800</b>	Passenger	<b>1</b>
Speed	<b>500 lb</b>	Filtration Area	<b>24M2</b>
Time	<b>6-8 Hrs</b>	Dimension	<b>3100*1140*1950</b>

BRAND  
**M MINGNUO**



Model	<b>MN-H91</b>	Load	<b>1500 KG</b>
Trash Hopper	<b>3000L</b>	Range	<b>100 KM</b>
Speed	<b>24 KM</b>	Dimension	<b>4200*1480*2100</b>

BRAND  
**M MINGNUO**



Model	<b>MN-H90</b>	Max. Load	<b>670 kg</b>
Speed	<b>25 KM</b>	Range	<b>100 KM</b>
Climbing	<b>25%</b>	Dimension	<b>3800*1400*2100</b>

BRAND  
**M MINGNUO**



Model	<b>MN-E800LD</b>	Cleaning Width	<b>1900mm</b>
Trash Bin Capacity	<b>170L</b>	Working Efficiency	<b>12000m2/h</b>
Speed	<b>7 mph</b>	Motor	<b>10 hp Brushless AC</b>

**P36**

Muhammad Hadi Al-Juhani Trading Est  
Sulai District, Mehmoud Al Halbi Street, Riyadh, KSA  
Info@aidecarts.com, +966 58 000 6668

**GOLF CARTS  
MODELS**



# ELECTRIC SCRUBBERS

Brand  
**M MINGNUO**



Model	<b>MN-V6</b>	Cleaning Efficiency	<b>4800 m2/h</b>
Sewage Tank	<b>80L</b>	Solution Tank Capacity	<b>70L</b>
Brush Diameter	<b>660mm</b>	Weight	<b>345KG</b>

BRAND  
**M MINGNUO**



Model	<b>MN-P50</b>	Sweeping Path	<b>920mm</b>
Dust Bin Capacity	<b>40L</b>	Working Efficiency	<b>3680 m2/h</b>
Weight	<b>24KG</b>	Power Supply	<b>Manual</b>

BRAND  
**M MINGNUO**



Model	<b>E800W</b>	Filter Area	<b>5M2</b>
Trash Hopper	<b>3000L</b>	Range	<b>100 KM</b>
Speed	<b>7 KM</b>	Dimension	<b>2150*1900*2040</b>

BRAND  
**M MINGNUO**



Model	<b>MN-V8</b>	Sewage Tank	<b>160L</b>
Speed	<b>7 KM</b>	Range	<b>5-6 HRS</b>
Cleaning Efficiency	<b>6800 m2/h</b>	Dimension	<b>1690*1005*1430</b>

BRAND  
**M MINGNUO**



Model	<b>MN-C200</b>	Sweeping Width	<b>1300mm</b>
Dust Bin Capacity	<b>130L</b>	Cleaning Efficiency	<b>7000m2/h</b>
Speed	<b>6 mph</b>	Motor	<b>10 hp Brushless AC</b>

**P37**

Muhammad Hadi Al-Juhani Trading Est  
Sulai District, Mehmoud Al Halbi Street, Riyadh, KSA  
Info@aidecarts.com, +966 58 000 6668

# GOLF CARTS MODELS



# CHARGING STATION

Brand



DC EV Charging Station



Model **BSEC60**

Output Current **150A**

Voltage Range **500 - 750VDC**

Input Voltage **3, 260~530VAC**

Input Frequency **50Hz, ±10Hz**

Environment **Indoor / outdoor**



EVSE Charger



EVSE CHARGER 230S  
1.3-7 kW

Model-230S  
1&2 Connectors

Input Voltage  
Phase-1 230 Vac ±10%

Output Voltage  
230 Vac ±10%



AC EV Home Charger



AC EV HOME CHARGER  
7kW & 86 kW

Model-BSEC  
1&2 Connectors

Input Voltage  
Phase-1 230 Vac ±10%

Output Voltage  
230 Vac ±10%



Wallbox EV Charger



WALLBOX EV CHARGER  
1.3-7 kW

Model-BSEC-120K(D)  
230V 1 Connector

Input Voltage  
Phase-1 230 Vac ±10%

Output Voltage  
230 Vac ±10%



DC EV Fast Charger



AC EV HOME CHARGER  
120/22kW

Model-BSEC  
2&3 Connectors

Input Voltage  
Phase-1 230 Vac ±10%

Output Voltage  
230 Vac ±10%

P38

Muhammad Hadi Al-Juhani Trading Est  
Sulai District, Mehmoud Al Halbi Street, Riyadh, KSA  
Info@aidecarts.com, +966 58 000 6668

**GOLF CARTS**  
**MODEL**







# CHARGING STATION

Brand



Professional DC Fast Charger



Model

**BSEC60K**

Power

**60KW, 3 Connector**

Voltage Range

**200 - 750VDC**

Input Voltage

**3 Phase, 400VAC ±10%**

Input Frequency

**50/60Hz**

Interface

**GBT / CCS / CHAdeMO**



Display EV Charger



Frequency

**50/60 Hz**

Model-BSEC-(3.5-400)  
**750S (A/D) 1 Connector**

Interface

**GBT / CCS / CHAdeMO**

Voltage

**AC/DC Charging**



Display EV Charger



Frequency

**50/60 Hz**

Model-BSEC-(3.5-400)  
**750S (A/D) 2 Connector**

Interface

**GBT / CCS / CHAdeMO**

Voltage

**AC/DC Charging**



Mobile EV Charger



Frequency

**50/60 Hz**

Model-BSEC-40K(D)1  
**1 Connector**

Interface

**GBT / CCS / CHAdeMO**

Input Voltage

**AC220 ±20% or 380V**



DC Chademo



Frequency

**50/60 Hz**

Model-BSEC-120 (D) 3  
**3 Connectors**

Interface

**GBT / CCS / CHAdeMO**

Output Voltage

**120KW/22KW**

**P39**

Muhammad Hadi Al-Juhani Trading Est  
Sulai District, Mehmoud Al Halbi Street, Riyadh, KSA  
Info@aidecarts.com, +966 58 000 6668

**GOLF CARTS  
MODEL**





# GOLF CART BATTERY

## LEAD ACID BATTERIES

BRAND



6V

8V

12V

BRAND



6V

8V

12V

BRAND



6V

8V

12V

## AGM DEEP CYCLE GELL BATTERIES

BRAND



6V

8V

12V

BRAND



6V

8V

12V

BRAND



6V

8V

12V

## LITHIUM BATTERIES

BRAND



24V

36V

48V

BRAND



24V

36V

48V

BRAND



24V

36V

48V



# GOLF CART SPARE PARTS



EAGLE



ZYCAR



Spare Parts are available for all the international brand Golf Cart i.e,

- CLUB CAR
- EZGO
- MARSHALL
- EVOLUTION
- EAGLE
- LVTONG
- ZYCAR
- EXCAR

MOTOR – CONTROLLER – CHARGER – CONVERTOR- DIFFERENTIAL- BUMPER - INDUSTRIAL PLUG - MASTER CYLINDER - SHOCK ABSORBER – VALVE - BRAKE SHOE - TIE ROD – ACCELLARATOR – SENSOR - RECEPTACLE - WIND SHEILD - COMBINATION SWITCH - CHARGING CABLE - BRAKE CABLE - HAZZARD SWITCH - LEAF SPRING – FUSE - IGNATION SWITCH – HUB and more.....





# GOLF CART TIRES

## MARKING & NON-MARKING TIRE

Tire Size	Height	Width
205/50-10	18" Tall	8" Wide
205/55-10	18.8" Tall	8" Wide
205/65-10	20.5" Tall	8" Wide
205/30-12	17" Tall	8" Wide
215/30-12	17.1" Tall	8.5" Wide
215/35-12	17.9"	8.5" Wide
215/40-12	18.5" Tall	8.5" Wide
215/50-12	20.5" Tall	8.5" Wide
205/30-14	19" Tall	8" Wide
215/35-14	20" Tall	8.5" Wide
205/35-15	20.5" Tall	8" Wide





# GOLF CART ACCESSORIES



**BASKET**



**COVER**



**BRUSH GUARD**



**FENDER FLARES**



**CUP HOLDER**



**STEERING WHEEL**



**LIGHT**



**BAG HOLDER**



**MIRRORS**



**LIFT KITS**



**SEAT**



**CARGO BOX**



**SEAT BELT**



**WIND SHEILD**



**FIRST AID KIT**



**SPEAKERS**



**HORN / BUZZER**



**LIGHT KIT**



**GPS**



**SEAT COVER**



**WIPER**



**WATER BOTTLE**



**ICE BOX**



**DRINKS HOLDER**

# GOLF CARTS MODELS 2025

- SALE
- RENT
- SERVICE
- PARTS



*Golf Carts Designed Just for You!*



**CONTACT US:**  
Muhammad Hadi Al-Juhani Trading Est.

+966 58 000 6668

+966 58 000 6668

[Info@aidecarts.com,](mailto:Info@aidecarts.com)

<https://aidecarts.com>

<https://hadigolfcart.com>

Sulai District, Mehmoud Al Halbi  
Street, Riyadh, KSA

