

GOLF CARTS MODELS 2025

SPORT

EVENTS

SECURITY

ADVENTURE

UTILITY

DISABILITY

SALE

RENT

SERVICE

PARTS

HADI

HUHAMMED HADI AL JOHNI TRADING EST.

Info@aidecarts.com, +966 58 000 6668





GOLF CART



PASSENGER



FOOD & BEVERAGE



HOUSEKEEPING



DISABILITY



AMBULANCE



POLICE & SECURITY



CARGO



SIGHTING BUS



FIREFIGHTING



CLASSIC



SAFARI TRAINING



2 SEAT



4 SEAT



6 SEAT



8 SEAT



8 SEAT



11 SEAT



14 SEAT



23 SEAT

HADI

VIP & LUXURY D-MAX SERIES

Brand



D-MAX GT4



D-MAX XT4



D-MAX GT6



D-MAX XT6

Seating and Body Colors



PEARL
WHITE



PORTIMAO
BLUE



BLACK
SAPPHIRE



FLAMENCO
RED



ARCTIC
GRAY



SKY
BLUE

Max. Speed

40KM

Mileage

≥100KM

Controller

Dual 400A AC

Charging Time

≤6h

Max. Climbing Degree

≥25%

System Voltage

48V




OCEAN WAVE BLUE



MIDNIGHT COCOA



SHADOW BROWN



DREAM WHITE

P03

Muhammad Hadi Al-Juhani Trading Est
Sulai District, Mehmoud Al Halbi Street, Riyadh, KSA
Info@aidecarts.com, +966 58 000 6668

GOLF CARTS MODELS

HADI 2-SEATERS

Brand



EAGLE



Model	EG202DKSZ	Passenger	2+2
Max. Speed	≤40KM	Dimensions	2920*1325*2033
Max. Climbing Degree	≥20%	Mileage	≥90KM

BRAND
LVTONG®



Model	LT-A827.2	Passenger	2
Max. Speed	≤40KM	Mileage	≥80km
Max. Climbing	≥20%	Dimensions	2760*1240*1820

BRAND
ZYCAR



Model	Z2Y(E)	Passenger	2
Max. Speed	≤40KM	Mileage	≥60km
Max. Climbing	≥20%	Dimensions	2700×1205×1985

BRAND
ZYCAR



Model	E2	Passenger	2
Max. Speed	≤24KM	Mileage	≥80km
Max. Climbing	≥15%	Dimensions	2370*1210*1900

BRAND
EXCAR



Model	LT-A827.2	Passenger	2
Max. Speed	≤35KM	Mileage	≥100km
Max. Climbing	≥30%	Dimensions	3200*1200*2000

P04

Muhammad Hadi Al-Juhani Trading Est
Sulai District, Mehmoud Al Halbi Street, Riyadh, KSA
Info@aidecarts.com, +966 58 000 6668

GOLF CARTS MODELS

2-SEATERS

Brand



Model	Z2C	Passenger	2+2
Max. Speed	≤35KM	Dimensions	2840×1210×1980
Max. Climbing Degree	≥20%	Mileage	≥90KM

BRAND
LVTONG®

Model	LT-A2	Passenger	2
Max. Speed	≤30KM	Mileage	≥100km
Max. Climbing	≥30%	Dimensions	2390*1200*1900

BRAND
EAGLE

Model	EG2028KSF	Passenger	2
Max. Speed	≤30KM	Mileage	≥80km
Max. Climbing	≥20%	Dimensions	2670*1180*1890

BRAND
EAGLE

Model	EG202EK	Passenger	2
Max. Speed	≤25KM	Mileage	≥60km
Max. Climbing	≥25%	Dimensions	2383*1142*1890

BRAND
ZYCAR

Model	E2	Passenger	2
Max. Speed	≤24KM	Mileage	≥80km
Max. Climbing	≥20%	Dimensions	2375 x 1206 x 1950

2-SEATERS

Brand



Model	M1S2+2	Passenger	2+2
Max. Speed	≤30KM	Dimensions	2700*1200*2000
Max. Climbing Degree	≥25%	Mileage	≥90KM

BRAND



Model	M1S2	Passenger	2
Max. Speed	≤35KM	Mileage	≥100km
Max. Climbing	≥30%	Dimensions	2700*1200*2000

BRAND



EAGLE



Model	EG202	Passenger	2
Max. Speed	≤20KM	Mileage	≥100km
Max. Climbing	≥25%	Dimensions	2410x1180x1800

BRAND



Model	LT-A827.2+2G	Passenger	2
Max. Speed	≤30KM	Mileage	≥90km
Max. Climbing	≥20%	Dimensions	2930*1370*2060

BRAND



Model	Z2C	Passenger	2
Max. Speed	≤24KM	Mileage	≥90km
Max. Climbing	≥20%	Dimensions	2370×1210×1950

4-SEATERS

Brand



EAGLE



Model

EG204AK

Passenger

4

Max. Speed

≤32KM

Dimensions

3200*1180*1980

Max. Climbing Degree

≥20%

Mileage

≥90KM

BRAND



Model

M1S2+2

Passenger

2+2

Max. Speed

≤30KM

Mileage

≥90km

Max. Climbing

≥25%

Dimensions

2700*1200*2000

BRAND



Model

E4C/E4CY

Passenger

4+2

Max. Speed

≤24KM

Mileage

≥90km

Max. Climbing

≥20%

Dimensions

3705*1210*1980

BRAND



EAGLE



Model

EG204EK

Passenger

4

Max. Speed

≤24KM

Mileage

≥70km

Max. Climbing

≥20%

Dimensions

3670*1325*2033

BRAND



Model

LT-A827.2+2G

Passenger

2+2

Max. Speed

≤30KM

Mileage

≥90km

Max. Climbing

≥20%

Dimensions

2930*1370*2060

4-SEATERS

Brand



EAGLE



Model

EG2048K

Passenger

4

Max. Speed

≤23KM

Dimensions

3140*1180*1940

Max. Climbing Degree

≥20%

Mileage

≥60KM

BRAND



EAGLE



Model

202AKSZ

Passenger

2+2

Max. Speed

≤32KM

Mileage

≥90km

Max. Climbing

≥25%

Dimensions

2450*1180*1980

BRAND



Model

Z2C

Passenger

2+2

Max. Speed

≤24KM

Mileage

≥90km

Max. Climbing

≥20%

Dimensions

2860×1210×2065

BRAND



Model

E2C

Passenger

2+2

Max. Speed

≤24KM

Mileage

≥90km

Max. Climbing

≥20%

Dimensions

2860*1210*2065

BRAND



Model

CK2+2/FF

Passenger

2+2

Max. Speed

≤45KM

Mileage

≥100km

Max. Climbing

≥30%

Dimensions

3000x1120x1900

4-SEATERS

Brand



Model	CK4	Passenger	4
Max. Speed	≤45KM	Dimensions	3200*1200*1800
Max. Climbing Degree	≥30%	Mileage	≥100KM

BRAND



Model	CK2+2	Passenger	2+2
Max. Speed	≤30KM	Mileage	≥100km
Max. Climbing	≥20%	Dimensions	2800*1900*1300

BRAND



Model	Z4	Passenger	4
Max. Speed	≤24KM	Mileage	≥90km
Max. Climbing	≥20%	Dimensions	3200×1210×1900

BRAND



Model	E2C	Passenger	2+2
Max. Speed	≤24KM	Mileage	≥90km
Max. Climbing	≥20%	Dimensions	2860*1210*2065

BRAND



Model	M1S4	Passenger	4
Max. Speed	≤35KM	Mileage	≥100km
Max. Climbing	≥30%	Dimensions	3000x1120x1900

4-SEATERS



Model	Z2C	Passenger	2+2
Max. Speed	≤24KM	Dimensions	2860*1210*2065
Max. Climbing Degree	≥20%	Mileage	≥90KM



Model	202AKSZ	Passenger	2+2
Max. Speed	≤32KM	Mileage	≥35km
Max. Climbing	≥25%	Dimensions	2450*1180*1980

BRAND



Model	M1S2+2FF	Passenger	2+2
Max. Speed	≤25KM	Mileage	≥100km
Max. Climbing	≥30%	Dimensions	3200x1200x2000



Model	EG204EK	Passenger	4
Max. Speed	≤40KM	Mileage	≥70km
Max. Climbing	≥20%	Dimensions	3670*1325*2033

4-SEATERS

Brand

LVTONG®



Model	LT-A827.4	Passenger	4
Max. Speed	≤40KM	Dimensions	3360*1210*1900
Max. Climbing Degree	≥25%	Mileage	≥700KM

BRAND



EAGLE



Model	EG2028KSF	Passenger	2+2
Max. Speed	≤35KM	Mileage	≥80km
Max. Climbing	≥20%	Dimensions	2670*1180*1890

BRAND



Model	E2C	Passenger	2+2
Max. Speed	≤24KM	Mileage	≥90km
Max. Climbing	≥20%	Dimensions	2860×1210×2065

BRAND



EAGLE



Model	EG202DKSZ	Passenger	2+2
Max. Speed	≤40KM	Mileage	≥90km
Max. Climbing	≥20%	Dimensions	2920×1325×2033

6-SEATERS

Brand



Model	CK4+2/FF	Passenger	4+2
Max. Speed	≤45KM	Dimensions	3700*1330*2050
Max. Climbing Degree	≥30%	Mileage	≥100KM

BRAND

WEIETRICH



Model	EW2028K	Passenger	6
Max. Speed	≤30KM	Mileage	≥90km
Max. Climbing	≥10%	Dimensions	2300*1200*1900

BRAND

ZYCAR



Model	R4C	Passenger	4+2
Max. Speed	≤24KM	Mileage	≥80km
Max. Climbing	≥15%	Dimensions	3720*1210*1945

BRAND

LVTONG®



Model	LT-A827.4+2G	Passenger	4+2
Max. Speed	≤25KM	Mileage	≥80km
Max. Climbing	≥15%	Dimensions	3700*1320*2030

BRAND

EAGLE



Model	EG2048KSF	Passenger	4+2
Max. Speed	≤23KM	Mileage	≥80km
Max. Climbing	≥20%	Dimensions	3420*1180*1940

6-SEATERS

Brand



Model

D5-Maverick-6

Passenger

6

Max. Speed

≤40KM

Dimensions

3760*1418*2035

Max. Climbing Degree

≥25%

Mileage

≥100KM

BRAND



Model

M1S4+2

Passenger

4+2

Max. Speed

≤45KM

Mileage

≥100km

Max. Climbing

≥25%

Dimensions

3500x1200x1800

BRAND



Model

R6

Passenger

6

Max. Speed

≤24KM

Mileage

≥80km

Max. Climbing

≥15%

Dimensions

3980x1210x1980

BRAND



EAGLE



Model

EG2048KSZ

Passenger

4+2

Max. Speed

≤30KM

Mileage

≥80km

Max. Climbing

≥20%

Dimensions

3640*1180*1990

6-SEATERS

Brand
ZYCAR



Model	R4C	Passenger	4+2
Max. Speed	≤24KM	Dimensions	3720*1210*1945
Max. Climbing Degree	≥15%	Mileage	≥80KM

BRAND

EXCAR



Model	CK4+2	Passenger	4+2
Max. Speed	≤45KM	Mileage	≥100km
Max. Climbing	≥30%	Dimensions	3700x1330x2050

BRAND

ZYCAR



Model	Z4C	Passenger	4+2
Max. Speed	≤35KM	Mileage	≥90km
Max. Climbing	≥15%	Dimensions	3980×1210×1980

BRAND

LVTONG



Model	LT-A827.4+2	Passenger	6
Max. Speed	≤40KM	Mileage	≥90km
Max. Climbing	≥20%	Dimensions	3615*1210*1905

BRAND

EAGLE



Model	EG204AKSZ	Passenger	4+2
Max. Speed	≤32KM	Mileage	≥60km
Max. Climbing	≥20%	Dimensions	3720*1180*1980

6-SEATERS

Brand
ZYCAR



Model	CK6	Passenger	6
Max. Speed	≤45KM	Dimensions	4000*1200*1800
Max. Climbing Degree	≥30%	Mileage	≥100KM

BRAND



EAGLE



Model	EG204AKSF	Passenger	4+2
Max. Speed	≤32KM	Mileage	≥60km
Max. Climbing	≥20%	Dimensions	3200*1180*1980

BRAND



EAGLE



Model	EG206AK	Passenger	6
Max. Speed	≤40KM	Mileage	≥70km
Max. Climbing	≥20%	Dimensions	3670*1325*2033

BRAND



Model	A1S6+2/FF	Passenger	6
Max. Speed	≤24KM	Mileage	≥70km
Max. Climbing	≥20%	Dimensions	4300*1200*1800

BRAND



EAGLE



Model	EG206EK	Passenger	6
Max. Speed	≤40KM	Mileage	≥70km
Max. Climbing	≥20%	Dimensions	3670*1325*2033

6-SEATERS

Brand
HADI



Model	EW2028K	Passenger	6
Max. Speed	≤30KM	Dimensions	2300*1200*1900
Max. Climbing Degree	≥10%	Mileage	≥90KM

BRAND
ZYCAR



Model	Z4C	Passenger	4+2
Max. Speed	≤24KM	Mileage	≥90km
Max. Climbing	≥20%	Dimensions	3720×1210×1945

BRAND
EAGLE



Model	EG204DKSZ	Passenger	4+2
Max. Speed	≤40KM	Mileage	≥70km
Max. Climbing	≥20%	Dimensions	3670*1325*2033

BRAND
EXCAR



Model	A1S4+2	Passenger	4+2
Max. Speed	≤25KM	Mileage	≥80km
Max. Climbing	≥20%	Dimensions	3500*1200*1800

8-SEATERS



Model	HKEV-GE62	Passenger	6+2
Max. Speed	≤30KM	Dimensions	3550*1280*2040
Max. Climbing Degree	≥30%	Mileage	≥100KM



Model	Z6C	Passenger	6+2
Max. Speed	≤24KM	Mileage	≥90km
Max. Climbing	≥20%	Dimensions	4470*1210*1980



Model	EG204DKSZ	Passenger	6+2
Max. Speed	≤30KM	Mileage	≥90km
Max. Climbing	≥25%	Dimensions	4330*1200*1900



Model	M1S8+3	Passenger	6+2
Max. Speed	≤35KM	Mileage	≥70km
Max. Climbing	20%	Dimensions	4300*1200*1900



Model	LT-A617.6+2	Passenger	6+2
Max. Speed	≤40KM	Mileage	≥90km
Max. Climbing	≥20%	Dimensions	4405*1210*1915

8-SEATERS

Brand



EAGLE



Model

EG2068KSZ

Passenger

6+2

Max. Speed

≤23KM

Dimensions

4400*1190*2010

Max. Climbing Degree

≥15%

Mileage

≥60KMBRAND
ZYCAR

Model

R6C

Passenger

6+2

Max. Speed

≤24KM

Mileage

≥80km

Max. Climbing

≥15%

Dimensions

4470*1210*1980BRAND
EAGLE

Model

EG2068KSF

Passenger

6+2

Max. Speed

≤23KM

Mileage

≥100km

Max. Climbing

≥15%

Dimensions

4210*1190*2010

BRAND

FYCAR



Model

CK6

Passenger

6+2

Max. Speed

≤40KM

Mileage

≥100km

Max. Climbing

≥30%

Dimensions

4000*1200*1800

8-SEATERS

Brand
LVTONG®

Model	LT-A827.6+2	Passenger	6+2
Max. Speed	≤25KM	Dimensions	4405*1210*1915
Max. Climbing Degree	≥15%	Mileage	≥80KM

BRAND

FXCAR

Model	A1S8+3	Passenger	6+2
Max. Speed	≤24KM	Mileage	≥70km
Max. Climbing	≥20%	Dimensions	4300*1200*1800

BRAND

ZYCAR

Model	R6C	Passenger	6+2
Max. Speed	≤24KM	Mileage	≥80km
Max. Climbing	≥15%	Dimensions	4470*1210*1980

BRAND

FXCAR

Model	M1S6+2/FF	Passenger	6+2
Max. Speed	≤24KM	Mileage	≥70km
Max. Climbing	≥20%	Dimensions	4300*1200*1900

BRAND

FXCAR

Model	M1S6	Passenger	6+2
Max. Speed	≤24KM	Mileage	≥70km
Max. Climbing	≥20%	Dimensions	4292x1219x1828

HADI UTILITY CARTS

Brand
LVTONG®



Model	LT-827.4+2	Passenger	2 + Cargo
Max. Speed	24KM	Dimensions	3615*1210*1905
Max. Climbing Degree	≥20%	Mileage	≥90KM

BRAND

FXCAR



Model	A1H2/LC	Passenger	2 + Housekeeping
Max. Speed	≤23KM	Mileage	≥90km
Max. Climbing	≥25%	Dimensions	-----

BRAND

ZYCAR



Model	ZH05	Passenger	2 + Housekeeping
Max. Speed	≤24KM	Mileage	≥90km
Max. Climbing	≥15%	Dimensions	3350*1220*1930

BRAND

LVTONG®



Model	LT-827	Passenger	2 + Cargo
Max. Speed	≤40KM	Mileage	≥90km
Max. Climbing	≥20%	Cargo Box	2000*1100*265

BRAND

LVTONG®



Model	LT-827.4	Passenger	4 + Cargo
Max. Speed	≤50KM	Mileage	≥90km
Max. Climbing	≥25%	Dimensions	3360*1210*1900

P20

Muhammad Hadi Al-Juhani Trading Est
Sulai District, Mehmoud Al Halbi Street, Riyadh, KSA
Info@aidecarts.com, +966 58 000 6668

**GOLF CARTS
MODELS**

HADI UTILITY CARTS

Brand
LVTONG®



Model	LT-A827.6	Passenger	2 + Cargo
Max. Speed	40KM	Cargo Box	3615*1210*1905
Max. Climbing Degree	≥20%	Mileage	≥90KM

BRAND



Model	A1H2/LC	Passenger	2 + F&B
Max. Speed	≤23KM	Mileage	≥90km
Max. Climbing	≥25%	Dimensions	-----

BRAND



Model	EG204EH	Passenger	4 + Cargo
Max. Speed	≤40KM	Mileage	≥80km
Max. Climbing	≥20%	Dimensions	3670*1325*2033

BRAND



Model	EG204AHCX	Passenger	2 + Cargo
Max. Speed	≤32KM	Mileage	≥60km
Max. Climbing	≥20%	Dimension	3430*1180*1800

BRAND



Model	A1H2/LC	Passenger	2 + Housekeeping
Max. Speed	≤45KM	Mileage	≥90km
Max. Climbing	≥35%	Dimensions	-----

P21

Muhammad Hadi Al-Juhani Trading Est
Sulai District, Mehmoud Al Halbi Street, Riyadh, KSA
Info@aidecarts.com, +966 58 000 6668

**GOLF CARTS
MODELS**

HADI UTILITY CARTS

Brand
LVTONG®



Model	LT-827.4+2	Passenger	2 + F&B
Max. Speed	40KM	Dimensions	1500*1100*265
Max. Climbing Degree	≥20%	Mileage	≥90KM

BRAND
ZYCAR



Model	EH05	Passenger	2 + Cargo
Max. Speed	≤35KM	Mileage	≥80km
Max. Climbing	≥30%	Dimensions	3350*1220*1930

BRAND

FXCAR



Model	M1H2	Passenger	2 + Cargo
Max. Speed	≤23KM	Mileage	≥90km
Max. Climbing	≥30%	Dimensions	3400*1200*1800

BRAND
ZYCAR



Model	EH05	Passenger	2 + Cargo
Max. Speed	≤24KM	Mileage	≥90km
Max. Climbing	≥15%	Cargo Box	3350*1220*1930

BRAND

EAGLE



Model	EG204EHCX	Passenger	2 + Cargo
Max. Speed	≤40KM	Mileage	≥70km
Max. Climbing	≥20%	Dimensions	-----

P22

Muhammad Hadi Al-Juhani Trading Est
Sulai District, Mehmoud Al Halbi Street, Riyadh, KSA
Info@aidecarts.com, +966 58 000 6668

**GOLF CARTS
MODELS**

HADI UTILITY CARTS

Brand
LVTONG®



Model	LT-827.4+2	Passenger	2 + Cargo Box
Max. Speed	25KM	Dimensions	3700*1210*1950
Max. Climbing Degree	≥20%	Mileage	80KM

BRAND

FXCAR



Model	A1H2 / CC	Passenger	2 + Cargo
Max. Speed	≤23KM	Mileage	≥90km
Max. Climbing	≥30%	Dimensions	--

BRAND

LVTONG®



Model	Crown - LT-A827.6	Passenger	2 + Cargo
Max. Speed	≤40KM	Mileage	≥70km
Max. Climbing	≥25%	Dimensions	3615*1210*1905

BRAND

LVTONG®



Model	Crown - LT-A827.6	Passenger	2 + Cargo
Max. Speed	≤24KM	Mileage	≥90km
Max. Climbing	≥15%	Dimensions	3350*1220*1930

BRAND

FXCAR



Model	ROYAL - M1S2+2/F	Passenger	2 + Cargo
Max. Speed	≤35KM	Mileage	≥100km
Max. Climbing	≥30%	Dimensions	3200*1200*2000

P23

Muhammad Hadi Al-Juhani Trading Est
Sulai District, Mehmoud Al Halbi Street, Riyadh, KSA
Info@aidecarts.com, +966 58 000 6668

**GOLF CARTS
MODELS**

HADI **DISABILITY CARTS**

Brand



Model	M1S4	Passenger	4 + Disability Rampe
Max. Speed	35KM	Dimensions	3000*1120*1900
Max. Climbing Degree	≥30%	Mileage	≥100KM

BRAND



Model	G1S8	Passenger	5 + Disability Ramp
Max. Speed	≤40KM	Mileage	≥80km
Max. Climbing	≥25%	Dimensions	4500*1500*2000

BRAND



Model	Crown - LT-A827.6	Passenger	4 + Disability Ramp
Max. Speed	≤40KM	Mileage	≥70km
Max. Climbing	≥25%	Dimensions	4405*1210*1915

BRAND



Model	Crown - LT-A827.6	Passenger	8+Disability Rampe
Max. Speed	≤50KM	Mileage	≥90km
Max. Climbing	≥25%	Dimension	500*150*205

BRAND



Model	EG2068T	Passenger	4 + Disability Ramp
Max. Speed	≤32KM	Mileage	≥70km
Max. Climbing	≥20%	Dimensions	3100*1180*1940

HADI AMBULANCE

Brand
ZYCAR



Model	Ambulance	Passenger	2+ Stretcher
Max. Speed	35KM	Dimensions	2920*1180*1890
Max. Climbing Degree	≥30%	Mileage	≥80KM

BRAND
LVTONG



Model	LT-A2.HS	Passenger	2+ Stretcher
Max. Speed	≤24KM	Mileage	≥100km
Max. Climbing	≥25%	Dimensions	3400*1200*1900

BRAND
EXCAR



Model	A1H2 / EC	Passenger	2+ Stretcher
Max. Speed	≤23KM	Mileage	≥90km
Max. Climbing	≥20%	Cargo	3400*1200*1800

BRAND
EAGLE



Model	EG2048TB1	Passenger	2+ Stretcher
Max. Speed	≤32KM	Mileage	≥55km
Max. Climbing	≥20%	Dimensions	3100*1180*1940

P25

Muhammad Hadi Al-Juhani Trading Est
Sulai District, Mehmoud Al Halbi Street, Riyadh, KSA
Info@aidecarts.com, +966 58 000 6668

**GOLF CARTS
MODELS**

Brand
LVTONG®



Model	LT-S4	Passenger	4
Max. Speed	50KM	Dimensions	2760*1290*1610
Max. Climbing Degree	≥20%	Mileage	≥130KM

BRAND
LVTONG®



Model	LT-S4.DBP	Passenger	4
Max. Speed	≤50KM	Mileage	≥90km
Max. Climbing	≥25%	Dimensions	2760*1290*1610

BRAND
EXCAR



Model	A1S4	Passenger	4
Max. Speed	≤35KM	Mileage	≥80km
Max. Climbing	≥30%	Cargo	3175*1219*1727

BRAND
EAGLE



Model	EG6311P	Passenger	4
Max. Speed	≤32KM	Mileage	≥105km
Max. Climbing	≥20%	Cargo Box	3110 * 1500 * 1720

BRAND
EAGLE



Model	A1S2	Passenger	2 + Cargo
Max. Speed	≤35KM	Mileage	≥80km
Max. Climbing	≥25%	Dimensions	3200*1500*2100

HADI CLASSIC-ROYAL CART

Brand



Model

GD8-Y8

Passenger

8

Max. Speed

28KM

Dimensions

4860*1570*1950

Max. Climbing Degree

≥15%

Mileage

≥90KM

Brand

LVTONG[®]



Model

LT-S8.FB

Passenger

8

Max. Speed

30KM

Dimension

5050*1490*1900

Max. Climbing Degree

≥20%

Mileage

≥75KM

P27

Muhammad Hadi Al-Juhani Trading Est
Sulai District, Mehmoud Al Halbi Street, Riyadh, KSA
Info@aidecarts.com, +966 58 000 6668

**GOLF CARTS
MODELS**

HADI FIREFIGHTING

Brand



EAGLE



Model	EG6023F	Passenger	2
Max. Speed	30KM	Dimensions	3930*1465*1910
Max. Climbing Degree	≥20%	Mileage	≥70KM

BRAND
LVTONG®



Model	LT-S2. XF	Passenger	2
Max. Speed	≤30KM	Mileage	≥70km
Max. Climbing	≥25%	Dimensions	3590*1500*1900

BRAND
LVTONG®



Model	LT-S4.XF	Passenger	4
Max. Speed	≤28KM	Mileage	≥70km
Max. Climbing	≥5%	Cargo	4700*1508*2115

BRAND
EAGLE



Model	EG6014F	Passenger	4
Max. Speed	≤30KM	Mileage	≥40km
Max. Climbing	≥15%	Cargo Box	3110 * 1500 * 1720

BRAND
EAGLE



Model	EG6040F	Passenger	2
Max. Speed	≤45KM	Mileage	≥70km
Max. Climbing	≥20%	Dimensions	4950*1590*2495

P28

Muhammad Hadi Al-Juhani Trading Est
Sulai District, Mehmoud Al Halbi Street, Riyadh, KSA
Info@aidecarts.com, +966 58 000 6668

**GOLF CARTS
MODELS**

HADI SIGHTING BUS-OPEN

Brand
LVTONG®



Model	LT-S8+3	Passenger	8
Max. Speed	30KM	Dimensions	4590*1480*2100
Max. Climbing Degree	≥20%	Mileage	≥110KM

BRAND
EAGLE



Model	EG608AK	Passenger	7
Max. Speed	≤40KM	Mileage	≥100km
Max. Climbing	≥20%	Dimensions	4100*1500*1890

BRAND
LVTONG®



Model	LT-S4.XF	Passenger	2 + Cargo
Max. Speed	≤30KM	Mileage	≥100km
Max. Climbing	≥20%	Cargo	4590*1480*2100

BRAND
EAGLE



Model	EG6014F	Passenger	23
Max. Speed	≤27KM	Mileage	≥210km
Max. Climbing	≥20%	Cargo Box	6170*1940*2350

BRAND
EAGLE



Model	EG6158K	Passenger	14
Max. Speed	≤45KM	Mileage	≥80km
Max. Climbing	≥20%	Dimensions	5020*1490*2080

P29

Muhammad Hadi Al-Juhani Trading Est
Sulai District, Mehmoud Al Halbi Street, Riyadh, KSA
Info@aidecarts.com, +966 58 000 6668

**SIGHTING BUS
MODELS**

HADI SIGHTING BUS-AC

Brand
LVTONG®



Model	TB011170	Passenger	Airconditioned - 17
Max. Speed	30KM	Dimensions	5900*1500*2060
Max. Climbing Degree	≥20%	Mileage	≥100KM

BRAND

EXCAR



Model	G1S14	Passenger	14
Max. Speed	≤23KM	Mileage	≥70km
Max. Climbing	≥20%	Dimensions	5300x1500x2000

BRAND

LVTONG®



Model	LT-S8.F	Passenger	Airconditioned - 8
Max. Speed	≤28KM	Mileage	≥120km
Max. Climbing	≥20%	Cargo	4310*1565*2350

BRAND



EAGLE



Model	EG6118KBF	Passenger	11
Max. Speed	≤45KM	Mileage	≥80km
Max. Climbing	≥15%	Cargo Box	5100*1580*2080

BRAND

LVTONG®



Model	LT-S14.F	Passenger	14
Max. Speed	≤30KM	Mileage	≥100km
Max. Climbing	≥18%	Dimensions	5100*1560*2010

P30

Muhammad Hadi Al-Juhani Trading Est
Sulai District, Mehmoud Al Halbi Street, Riyadh, KSA
Info@aidecarts.com, +966 58 000 6668

**SIGHTING BUS
MODELS**

HADI THEME PARK-TOURIST TRAIN

Brand
MODERN RIDES



Model	TAB31	Passenger	10
Max. Speed	20KM	Usage	Theme Park,
Max. Climbing Degree	≥20%	Mileage	≥75KM

BRAND

GoldSupplier.com
connecting buyers with overseas suppliers



Model	HFTT26	Passenger	6/Cabin
Max. Speed	≤7KM	Usage	Theme Park,
Max. Climbing	≥15%	Dimensions	3275x1023x2120

BRAND

YUDINIS



Model	TT213	Passenger	16
Max. Speed	≤8KM	Mileage	≥80km
Max. Climbing	≥15%	Cargo	4310*1565*2350

BRAND

LE TIAN
乐天游乐



Model	YM Royal	Passenger	10
Max. Speed	≤15KM	Mileage	≥100km
Max. Climbing	≥15%	Cargo Box	3100*1140*1950

BRAND

实在人
Honestman



Model	Limeiqi- WG-25	Passenger	10
Max. Speed	≤8KM	Mileage	≥100km
Max. Climbing	≥18%	Dimensions	10500*1160*1920

P31

Muhammad Hadi Al-Juhani Trading Est
Sulai District, Mehmoud Al Halbi Street, Riyadh, KSA
Info@aidecarts.com, +966 58 000 6668

**TRAIN
MODELS**

HADI Electric Power Train

Brand



Passenger

51

Body/Structure

Fiberglass /Aluminum

Lithium Ion Battery

80v 891 amp/hr.

Power Motors

2 x 17kw

Max. Climbing Degree

15%

Speed

25km

Suspension Type

4 Wheel Helicoidal

Front Brake

Disk Brake

Tire Size

235/65 R16

Interior Environment

Air-Conditioned

Dashboard

Digital Display

Safety & Security

First Aid Kit and Fire Extinguisher

Chassis Treatment

Anti-Corrosion, Primer and Painting

Rear Brake

Oil Immersed

Power Steering

Electric Assisted

Doors

2 Sliding Door

Interior Illumination

LED Spot Lights

Spare Kit

Spare Tire & Puncture Kit

Audio System

RADIO

MP3

USB Plug

Microphone

P32

Muhammad Hadi Al-Juhani Trading Est
Sulai District, Mehmoud Al Halbi Street, Riyadh, KSA
Info@aidecarts.com, +966 58 000 6668

**Electric TRAIN
MODELS**

HADI Electric Power Train

Brand



- The fastest train within our range
- High passenger capacity 200+
- Operationally flexible, efficient & reliable
- Contain proven ergonomics for maximum passenger comfort

Passenger Capacity
60 - 120+

Maximum Gradient
0 - 3%

Minimum Radius
30m

Drive System
Hybrid

Maximum Speed
65 km/h

Gauge
914mm - 1,435mm

Travel
Single or Bi-Directional

Compartment Style
AC / Enclosed

P33

Muhammad Hadi Al-Juhani Trading Est
Sulai District, Mehmoud Al Halbi Street, Riyadh, KSA
Info@aidecarts.com, +966 58 000 6668

Electric Train MODELS

HADI Road Tram



Passenger Capacity

16-125

Gradient

7-15%

Out Turning Circle

7-16M

Drive System

Electric -Diesel

- **Comprehensive range of trackless trams**
- **Wide variety to suit every requirement**



P34

Muhammad Hadi Al-Juhani Trading Est
Sulai District, Mehmoud Al Halbi Street, Riyadh, KSA
Info@aidecarts.com, +966 58 000 6668

HADI MOBILITY SCOOTER & E-BIKES



Model	LIBRA-DX	Passenger	1
Max. Speed	8KM	Weight	52.9KG
Max. Climbing Degree	6%	Mileage	25KM



Model	Colt Executive	Passenger	1
Max. Speed	≤8KM	weight	181kg
Max. Climbing	≥15%	Milage	39km



Model	M2 Leisure	Passenger	1
Max. Speed	25KM	Weight	150kg
Max. Climbing	≥15%	Mileage	45km



Model	Joyor Y6-S	Passenger	1
Max. Speed	≤45KM	weight	24kg
Max. Climbing	≥10%	Milage	75km



Model	HX kixin X10	Passenger	1
Max. Speed	25KM	Weight	38kg
Max. Climbing	≥10%	Mileage	100km

P35

Muhammad Hadi Al-Juhani Trading Est
Sulai District, Mehmoud Al Halbi Street, Riyadh, KSA
Info@aidecarts.com, +966 58 000 6668

**SCOOTERS
MODELS**

Brand

MOKE



Model

MOKE

Passenger

4

Power

33kW

Dimensions

3325*1660*1550 mm

Speed

80 km/h

Range

125 km

HADI

REFRIGERATED BOX MINI TRUCK

AIRCONDITIONED-REFRIGERATED-INSULATED

Brand

E-HADI



Model

E-HADI MINI

Passenger

2

Loading Capacity

250 kg

Dimensions

2860×1210×1565 mm

Speed

70 km/h

Range

200-300 km

P37

Muhammad Hadi Al-Juhani Trading Est
Sulai District, Mehmoud Al Halbi Street, Riyadh, KSA
Info@aidecarts.com, +966 58 000 6668

**ELECTRIC VEHICLES
MODELS**

HADI

HOUSEKEEPING UTILITY BOX

Brand

CROWN

Model

LT-A827.4

Passenger

2

Loading Capacity

250 kg

Dimensions

1800*1150*1500 mm

Speed

25 km/h

Range

100 km

P38

Muhammad Hadi Al-Juhani Trading Est
Sulai District, Mehmoud Al Halbi Street, Riyadh, KSA
Info@aidecarts.com, +966 58 000 6668

ELECTRIC VEHICLES
MODELS

REFRIGERATED BOX TRUCK

AIRCONDITIONED-REFRIGERATED-INSULATED

Brand
MINGNUO

Model
MH-N51

Power
72V / 7.5 kW

Speed
30 km/h

Passenger
2

Dimensions
4550*1640*2150 mm

Range
100 km



HADI GASOLINE VEHICLES



BAW PICK UP

	Standard Wheelbase	Long Wheelbase
Dimension (mm)	5270*1900*1860	5520*1900*1860
Cargo box size (mm)	1595*1540*545	1845*1540*545
Wheelbase (mm)	3160	3410
Seats	5	5
Ground clearance	230	230
Curb weight (kg)	1625	1645
Displacement (ml)		1962
Max power (kW)		106
Max torque (N m)		200
Max speed (km/h)		120
Drive type	Rear drive 4x2	
Brake type	Disc/Drum	
Tire type	235/70R16	
Gearbox	5MT/8AT	
Suspension front	McPherson independent	
Suspension rear	Leaf spring	
Fuel tank volume (l)	70	



BAW MPV

	Standard wheelbase	Long wheelbase
Dimension (mm)	4860*1870*1945	5230*1870*1945
Wheelbase (mm)	2880	3200
Seats	2/5/7	2/7/9
Ground clearance (mm)	210	210
Curb weight (kg)	1520	1640
Displacement (ml)	1590	1962
Max power (kW)	91	106
Max torque (N m)	161	200
Max speed (km/h)	140	160
Drive type	Rear drive 4x2	
Brake type	Disc/Drum	
Tire type	205/65 R16	
Gear box	5MT/8AT	
Suspension front	McPherson independent suspension	
Suspension rear	Leaf Spring	
Fuel tank volume (l)	58	



BAW WARRIOR 4X4 PICK UP

	PICK UP	ORV
Body structure	4 doors and 5 seats	5 doors and 5 seats
Dimension (mm)	5440*1850*1970	4490*1825*1950
Cargo box size (mm)	1630*1580*480	/
Wheelbase (mm)	3350	2600
Engine model	4JB1	JE4D25E
Max .power (kW)	68	100
Displacement (l)	2,771	2,499
Max speed (km/h)	100	120
Fuel type	Diesel	Diesel
Brake type	Front disc/rear drum	Front disc/rear drum
Tire type	LT265/75R16	LT265/75R16
Suspension front	Leaf spring	Coil spring
Suspension rear	Leaf spring	Leaf spring
Transmission	5MT	5MT
Operation of transfer case	Mechanical two-speed manual shift	Mechanical two-speed



BAW 212 OFF-ROAD

Body structure	5 doors 5 seats
Dimension (mm)	4360*1890*1940
Wheelbase (mm)	2620
Tread Front/Rear (mm)	1540
Angle of approach	47°
Angle of Departure	35°
Min. Ground Clearance (mm)	245
Displacement	2.4T
Fuel Type	Gasoline
Max HP(Fs)	211
Max Power (Kw)	155
Max Torque (N/m)	320
Gearbox	6MT
Drive Type	Four-wheel drive 4x4
4 Wheels Drive Type	Part Time 4WD
Brake type	Disc/Drum
Tire type	265/75R16
Suspension front	Double wishbone coil spring non-independent
Suspension rear	Leaf spring non-independent
Oil Tank Volume (l)	70



BAW SMALL TRUCK

	T6	T7
Body structure	Frameless	Body on frame
Dimension (mm)	5400*1780*1990	5585/5985*1880*2050
Cargo box size (mm)	3300*1670*380	3300*1780*360
Wheelbase (mm)	3350	3400/3600
Seats	45327	45327
Ground clearance (mm)	165	170
Curb weight (kg)	1376/1475	1595/1740
Payload capacity (kg)	1500	2000/2500
Tires	195/70R15LTx5	185R14LTx7
Suspension front	McPherson	Leaf Spring
Suspension rear		Leaf Spring
Displacement (ml)		1590/1962
Max power (kW)		91/106
Max torque (N m)		161/200
Max speed (km/h)		105
Drive type		Rear drive
Brake type		Disc/Drum
Gear box		5MT

P40

Muhammad Hadi Al-Juhani Trading Est
Sulai District, Mehmoud Al Halbi Street, Riyadh, KSA
Info@aidecarts.com, +966 58 000 6668

**VEHICLES
MODELS**

HADI ELECTRIC VEHICLES



BAW PONY
INTERNATIONAL

Body structure	3 doors and 4 seats
Dimension (mm)	3162*1498*1580
Wheelbase (mm)	2050
Front/rear track base (mm)	1290/1290
Curb weight	740
Suspension front	McPherson independent
Suspension rear	Trailing arm semi-independent
Driving type	Rear drive
Brake type	Disc/Drum
Tire type	155/65 R13
Battery type	Lithium iron phosphate battery (BMS)
Battery capacity (kWh)	13,7
Rated voltage (V)	102,4
Max speed (km/h)	100
Climbing ability (%)	≥ 20%
Range (KM)	170
Motor type	PMS motor
Rated power/Max power (kW)	13/20



BAW BRUMBY
INTERNATIONAL

Body structure	5 doors and 4 seats
Dimension (mm)	3532*1498*1605
Wheelbase (mm)	2275
Front/rear track base (mm)	1290/1290
Curb weight	830
Suspension front	McPherson independent
Suspension rear	Three - link non - independent suspension
Drive type	Rear drive
Brake type	Disc/Drum
Tire type	155/65 R13
Battery type	Lithium iron phosphate battery (BMS)
Battery capacity (kWh)	15,12
Rated voltage (V)	112
Max speed (km/h)	100
Climbing ability	≥20%
Range (km)	172
Motor type	PMS
Rated power/Max power (kW)	15/25



BAW EV MPV
INTERNATIONAL

Dimension (mm)	5230/4860*1870*1945
Wheelbase (mm)	2880 / 3200
Battery type	Lithium iron phosphate battery (BMS)
Battery capacity (kWh)	42/51
Motor type	PMS
Rated power/Max power (kW)	30/60
Charging time/type	(SOC30%-80%) Fast charge for 45 minutes
Max Range	300
Seats	2/5/2007



BAW EV SMALL TRUCK
INTERNATIONAL

Body structure	2 doors and 2 seats
Dimension (mm)	5785*1880*2030
Cargo box size (mm)	3500*1780*360
Wheelbase (mm)	3600
Front/rear track base (mm)	1490/1448
Ground clearance (mm)	170
Curb weight (kg)	2085
Payload capacity (kg)	1985
Suspension front/rear	Leaf Spring Non-inde., 5/5+2
Drive type	Rear drive
Brake type	Disc/Drum
Tire type	185R14LT 8PR
Battery type	Lithium-ion battery (BMS)
Battery capacity (kWh)	55,7
Max speed (km/h)	85
Range (km)	270
Motor type	PMS
Max Torque (N m)	310
Rated power/Max power (kW)	45/90



BAW MINI TRUCK
INTERNATIONAL

Model type	HLD1020PIB2IBEV
Body structure	2 doors and 2 seats
Dimension (mm)	3555/3820*1480*1705
Cargo box size (mm)	1750/2015*1400*320/1200
Wheelbase (mm)	2200/2450
Front/rear trackbase	1290/1290
Ground clearance	144
Curb weight (kg)	880
Payload capacity (kg)	540
Suspension front	McPherson independent
Suspension rear	Leaf Spring
Drive type	Rear drive
Brake type	Disc/Drum
Tire type	145R12 LT 6PR
Battery type	Lithium iron phosphate battery (BMS)
Battery capacity (kWh)	12.31/15.12
Max speed (km/h)	70
Climbing ability	≥20%
Range (km)	80/140
Motor type	PMS
Max Torque (N m)	130
Rated /Max power	15/30

Brand



Model	MT 800	Passenger	2
Load Capacity	1,500 lb	Towing Capacity	50,000 lb
Speed	15 mph	Motor	40 hp AC motor

BRAND



Model	MP 250	Passenger	1
Load Capacity	500 lb	Towing Capacity	2,000 lb
Speed	7 mph	Motor	6 hp Shunt AC

BRAND



Model	MT 160	Passenger	1
Load Capacity	250 lb	Towing Capacity	12,000 lb
Speed	7 mph	Motor	10 hp Brushless AC

BRAND



Model	MC 480	Passenger	4
Load Capacity	2,000 lb	Towing Capacity	6,000 lb
Speed	10 mph	Motor	15 hp Brushless AC

BRAND



Model	MT 210	Passenger	2
Load Capacity	1,200 lb	Towing Capacity	4,000 lb
Speed	10 mph	Motor	10 hp Brushless AC

HADI ELECTRIC INDUSTRIAL VEHICLES

Brand



Model	MT 180	Passenger	1
Load Capacity	500 lb	Towing Capacity	10,000 lb
Speed	8 mph	Motor	10 hp Brushless AC

BRAND



Model	MT 210	Passenger	1
Load Capacity	500 lb	Towing Capacity	16,000 lb
Speed	6 mph	Motor	10 hp Brushless AC

BRAND



Model	MS 260	Passenger	1
Load Capacity	1,250 lb	Towing Capacity	2,500 lb
Speed	8 mph	Motor	6 hp Shunt

BRAND



Model	MT 240	Passenger	1
Load Capacity	500 lb	Towing Capacity	2,000 lb
Speed	7 mph	Motor	6 hp Shunt

BRAND



Model	MT 120	Passenger	1
Load Capacity	500 lb	Towing Capacity	16,000 lb
Speed	6 mph	Motor	10 hp Brushless AC

P43

Muhammad Hadi Al-Juhani Trading Est
Sulai District, Mehmoud Al Halbi Street, Riyadh, KSA
Info@aidecarts.com, +966 58 000 6668

INDUSTRIAL
VEHICLES
MODELS

HADI ELECTRIC ROAD CLEANING

Brand
M MINGNUO



Model	MN-S2000	Control	Ride On
Volatge	48V	Sweeping Width	2000-2350
Speed	10 mph	Dimension	4300*2350*2460

BRAND
M MINGNUO



Model	MN-X1800	Passenger	1
Speed	500 lb	Filtration Area	24M2
Time	6-8 Hrs	Dimension	3100*1140*1950

BRAND
M MINGNUO



Model	MN-H91	Load	1500 KG
Trash Hopper	3000L	Range	100 KM
Speed	24 KM	Dimension	4200*1480*2100

BRAND
M MINGNUO



Model	MN-H90	Max. Load	670 kg
Speed	25 KM	Range	100 KM
Climbing	25%	Dimension	3800*1400*2100

BRAND
M MINGNUO



Model	MN-E800LD	Cleaning Width	1900mm
Trash Bin Capacity	170L	Working Efficiency	12000m2/h
Speed	7 mph	Motor	10 hp Brushless AC

P44

Muhammad Hadi Al-Juhani Trading Est
Sulai District, Mehmoud Al Halbi Street, Riyadh, KSA
Info@aidecarts.com, +966 58 000 6668

**CLEENING
MODELS**

HADI ELECTRIC SCRUBBERS

Brand
M MINGNUO



Model	MN-V6	Cleaning Efficiency	4800 m2/h
Sewage Tank	80L	Solution Tank Capacity	70L
Brush Diameter	660mm	Weight	345KG

BRAND
M MINGNUO



Model	MN-P50	Sweeping Path	920mm
Dust Bin Capacity	40L	Working Efficiency	3680 m2/h
Weight	24KG	Power Supply	Manual

BRAND
M MINGNUO



Model	E800W	Filter Area	5M2
Trash Hopper	3000L	Range	100 KM
Speed	7 KM	Dimension	2150*1900*2040

BRAND
M MINGNUO



Model	MN-V8	Sewage Tank	160L
Speed	7 KM	Range	5-6 HRS
Cleaning Efficiency	6800 m2/h	Dimension	1690*1005*1430

BRAND
M MINGNUO



Model	MN-C200	Sweeping Width	1300mm
Dust Bin Capacity	130L	Cleaning Efficiency	7000m2/h
Speed	6 mph	Motor	10 hp Brushless AC

P45

Muhammad Hadi Al-Juhani Trading Est
Sulai District, Mehmoud Al Halbi Street, Riyadh, KSA
Info@aidecarts.com, +966 58 000 6668

**SCRUBBERS
MODELS**



DC EV Charging Station



Model

BSEC60

Output Current

150A

Voltage Range

500 - 750VDC

Input Voltage

3, 260~530VAC

Input Frequency

50Hz, ±10Hz

Environment

Indoor / outdoor



EVSE Charger



EVSE CHARGER 230S
1.3-7 kW

Model-230S
1&2 Connectors

Input Voltage
Phase-1 230 Vac ±10%

Output Voltage
230 Vac ±10%



AC EV Home Charger



AC EV HOME CHARGER
7kW & 86 kW

Model-BSEC
1&2 Connectors

Input Voltage
Phase-1 230 Vac ±10%

Output Voltage
230 Vac ±10%



Wallbox EV Charger



WALLBOX EV CHARGER
1.3-7 kW

Model-BSEC-120K(D)
230V 1 Connector

Input Voltage
Phase-1 230 Vac ±10%

Output Voltage
230 Vac ±10%



DC EV Fast Charger



AC EV HOME CHARGER
120/22kW

Model-BSEC
2&3 Connectors

Input Voltage
Phase-1 230 Vac ±10%

Output Voltage
230 Vac ±10%



Professional DC Fast Charger



Model	BSEC60K	Power	60KW, 3 Connector
Voltage Range	200 - 750VDC	Input Voltage	3 Phase, 400VAC ±10%
Input Frequency	50/60Hz	Interface	GBT / CCS / CHAdeMO



Display EV Charger



Frequency	50/60 Hz	Model-BSEC-(3.5-400) 750S (A/D) 1 Connector
Interface	GBT / CCS / CHAdeMO	Voltage AC/DC Charging



Display EV Charger



Frequency	50/60 Hz	Model-BSEC-(3.5-400) 750S (A/D) 2 Connector
Interface	GBT / CCS / CHAdeMO	Voltage AC/DC Charging



Mobile EV Charger



Frequency	50/60 Hz	Model-BSEC-40K(D)1 1 Connector
Interface	GBT / CCS / CHAdeMO	Input Voltage AC220 ±20% or 380V



DC Chademo



Frequency	50/60 Hz	Model-BSEC-120 (D) 3 3 Connectors
Interface	GBT / CCS / CHAdeMO	Output Voltage 120KW/22KW

LEAD ACID BATTERIES



6V

8V

12V



6V

8V

12V



6V

8V

12V

AGM DEEP CYCLE GELL BATTERIES



6V

8V

12V



6V

8V

12V



6V

8V

12V

LITHIUM BATTERIES



24V

36V

48V



24V

36V

48V



24V

36V

48V

HADI GOLF CART SPARE PARTS



EAGLE



ZYCAR

LVTONG®

Marsheell



Spare Parts are available for all the international brand Golf Cart i.e.,

CLUB CAR
EZGO
MARSHALL
EVOLUTION
EAGLE
LVTONG
ZYCAR
EXCAR

MOTOR – CONTROLLER – CHARGER –
CONVERTOR- DIFFERENTIAL- BUMPER -
INDUSTRIAL PLUG - MASTER CYLINDER -
SHOCK ABSORBER – VALVE - BRAKE SHOE -
TIE ROD – ACCELLARATOR – SENSOR -
RECEPTACLE - WIND SHEILD -
COMPBINATION SWITCH - CHARGING CABLE
- BRAKE CABLE - HAZZARD SWITCH - LEAF
SPRING – FUSE - IGNATION SWITCH – HUB
and more.....



P49

Muhammad Hadi Al-Juhani Trading Est
Sulai District, Mehmoud Al Halbi Street, Riyadh, KSA
Info@aidecarts.com, +966 58 000 6668

**SPARE PARTS
MODELS**

MARKING & NON-MARKING TIRE

Tire Size	Height	Width
205/50-10	18" Tall	8" Wide
205/55-10	18.8" Tall	8" Wide
205/65-10	20.5" Tall	8" Wide
205/30-12	17" Tall	8" Wide
215/30-12	17.1" Tall	8.5" Wide
215/35-12	17.9"	8.5" Wide
215/40-12	18.5" Tall	8.5" Wide
215/50-12	20.5" Tall	8.5" Wide
205/30-14	19" Tall	8" Wide
215/35-14	20" Tall	8.5" Wide
205/35-15	20.5" Tall	8" Wide



HADI GOLF CART ACCESSORIES



BASKET



COVER



BRUSH GUARD



FENDER FLARES



CUP HOLDER



**STEERING
WHEEL**



LIGHT



BAG HOLDER



MIRRORS



LIFT KITS



SEAT



CARGO BOX



SEAT BELT



WIND SHEILD



FIRST AID KIT



SPEAKERS



HORN / BUZZER



LIGHT KIT



GPS



SEAT COVER



WIPER



WATER BOTTLE



ICE BOX



DRINKS HOLDER

GOLF CARTS MODELS 2025

SALE

RENT

SERVICE

PARTS

CONTACT US:

Muhammad Hadi Al-Juhani Trading Est.



+966 58 000 6668



+966 58 000 6668



[Info@aidecarts.com,](mailto:Info@aidecarts.com)



<https://aidecarts.com>

<https://hadigolfcart.com>



Sulai District, Mehmoud Al Halbi
Street, Riyadh, KSA



HADI



SPORT



ADVENTURE



EVENTS



UTILITY



SECURITY



DISABILITY

Golf Carts Designed Just for You!

